



Over 365 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

Fiskars



















New products & innovations

6 Wood Preparation

Axes \cdot Handling and preparation tools \cdot Saws \cdot Forestry Tools \cdot Knives

19 Soil Care

Shovels, spades & forks

Xact[™] · SmartFit[™] · Ergonomic[™] · Light[™] · Solid[™]

Soil care tools

 $\mathsf{Ergonomic^{TM}} \cdot \mathsf{Light} \cdot \mathsf{Solid^{TM}}$

QuikDrill™

Nursery tools

Premium Planters[™] · Solid[™] · Inspiration[™]

41 Lawn Care

Rakes

 $\mathsf{Ergonomic^{TM}} \cdot \mathsf{Light} \cdot \mathsf{Solid^{TM}} \cdot \\$

Grass shears

 $\begin{array}{c} \mathsf{PowerLever^{TM}} \cdot \mathsf{Servo}\text{-}\mathsf{System^{TM}} \\ \textbf{Weed pullers} \end{array}$

 $SmartFit^{\mathsf{TM}} \cdot Xact^{\mathsf{TM}} \cdot Light$

Reel Mowers StaySharp™ Solid yard tools

52 Plant Care

Scissors

Pruners PowerGearTM \cdot

 $\begin{array}{l} \mathsf{PowerStep^{TM} \cdot Pro\ Pruner} \cdot \\ \mathsf{SmartFit^{TM} \cdot PowerLever^{TM}} \cdot \end{array}$

Fingerloop · SingleStep™ ·

Quantum[™] · Inspiration[™]

SingleStep™ · Quantum™

Hedge shears PowerGear™ ·

SmartFit[™] · PowerLever[™] · SingleStep[™] · Quantum[™]

Tree pruners
Professional tools

'9 Fiskars QuikFit™

Click & Reach · Click & Clean · Click & Grow

92 Fiskars Car tools

 $\mathsf{SnowXpert^{TM}} \cdot \mathsf{Solid^{TM}}$

94 Fiskars Snow tools

 $\mathsf{SnowXpert}^{\mathsf{TM}} \cdot \mathsf{Snow}\ \mathsf{Light}$

98 Hardware

109 Children's Tools

111 Accessories

113 Maintenance

114 Spare Parts


119 Which tool for which task



Feel the power.
Enjoy the moment.

New Fiskars PowerGear X[™] Pruners.






Maximum performance with minimum strain.

New Fiskars Hardware Tools.







X-Series axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.




KEY BENEFITS

- √ 35 degree convex cutting bevel angle for splitting axes - the convex shape strengthens the edge to make it less sensitive to fracture
- Perfect balance between head and shaft for the most safe, comfortable and efficient swing
- ✓ Ultralight and durable FiberComp[™] shaft minimizes fatigue and makes the axe virtually unbreakable
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- Hooked end of the handle prevents the axe from slipping out of the hand
- Comes with a plastic sheath for easy carrying and storage

CHOPPING AXES

SPLITTING AXES



Chopping axes

Fiskars next generation chopping axes serve all manner of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.


The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.

Splitting axes

Fiskars next generation splitting axes are a true evolution of craftsmanship —purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

Splitting axes



Chopping axes

Fiskars Camping Axe XXS_X5 Art. no. 1015617 Height: 32 mm Length: 260 mm Width: 172 mm Weight: 630 g Retail box: 4 Old art. no. **121123**




Height: 34 mm









• Redesigned blade cover for easy transportability • New extended 25 years warranty via web registration

• Product: 28 x 231 x 130 mm



Width: 172 mm





Fiskars Chopping Axe XS_X7

Length: 399 mm



Weight: 700 g





- For chopping small wood for camp fire
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 354 x 130 mm

Height: 34 mm Length: 473 mm Width: 194 mm Weight: 1100 g Retail box: 4 Old art. no. 121443	Fiskars Cl	nopping Ax	e S_X10			Art. no. 1015619	6 4 1 1 5 0 1 2 1 4 4 3 0
	Height: 34 mm	Length: 473 mm	Width: 194 mm	Weight: 1100 g	Retail box: 4	Old art. no. 121443	6 411501 214430









- For carpentry and small wood work
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 445 x 152 mm

Choose the right size for you





1. LENGTH TEST

Grab the axe on the shaft below the blade. Turn the shaft towards your armpit and if the end of the shaft reaches the armpit the axe is too long

2. WEIGHT TEST

Grab the axe at the end of the shaft and let the head rest towards the ground. Lift the head up with a wrist turn close to your body as pivotal point (axe is vertically in your hand at the end of the movement) If you can't lift the axe this way, the axe is too heavy.

WoodXpert[™] wood handling tools

Fiskars WoodXpert™ wood handling tools are designed for axe owners. These new tools support tasks related to firewood preparation. The design emphasis in these new tools has been placed on lightweight performance, excellent grip and superior tool blade development.









- For cutting smaller branches from trees.
- \bullet For clearing weeds and brush in gardens and forest.
- For stripping bark from logs.

WoodXp	oert™ XA23 l	Brush hook	Art. no. 1003621	z		
Height: -	Length: 950 mm	Width: 132 mm	Weight: 990 g	Retail box: 2	Old art. no. 126005	6 4 1 1 5 0 1 2 6 0 0 5 5
	FERANCIAESS		VPA Gestiffe Scharket	reddot design award	For cutting larger branchFor clearing saplings anFor light chopping and s	d brush in gardens and forest.

WoodX	pert™ XA2S	appie			Art. no. 1003622	6"411501" 260062"
Height: -	Length: 348 mm	Width: 160 mm	Weight: 310 g	Retail box: 4	Old art. no. 126006	6 4 1 1 5 0 1 2 6 0 0 6 2
- PERSONAL SECTION SEC	•		VPA Gaprille Sicharbel	reddot design award winner 2015	For carrying and liftingFor handling and arrangFor turning of small logs	ging wood piles.

WoodX	pert™ XA22 \$	Sappie	Art. no. 100362	23			
Height: -	Length: 785 mm	Width: 230 mm	Weight: 880 g	Retail box: 2	Old art. no. 126007	7	6 4 1 1 5 0 1 2 6 0 0 7 9
	FISKARS XA228		VPA Gepotite Scherhelt	reddot design award	For lifting and trarFor handling andFor turning of larg	d arranging woo	

WoodXpert[™] Log Hook

Length: 303 mm Width: 193 mm

Weight: 610 g Retail box: 4

Art. no. **1003624**Old art. no. **126021**





Height: -







- For lifting and transporting logs.
- For handling and arranging logs.
- For assisting tree felling.
- With plastic sheath for easy carrying with Tool Belt.

WoodXpert™ Log Tongs

Height: - Length: 303 mm

Width: 180 mm

Weight: 780 g

780 g Retail box: **4**

Old art. no. **126031**

Art. no.

Art. no.

Art. no.









- For llifting and transporting logs.
- For handling and arranging logs.

1003625

• With plastic sheath for easy carrying with Tool Belt.

WoodXpert™ Tool Belt

Height: -

Length: 570 mm

0 mm Width: 90 mm

Weight: 320 g

Retail box: 4

1003626

(/ 11501 2/0007







- Tool belt to attach Log hook and Log tongs.
- Ergonomic support for the back.
- Firm double tightening.

Old art. no. 126009

WoodXpert™ Felling lever - M

Height: - Length: 700 mm

m Width: 86 mm

Weight: **2160** g

Retail box: 4

Old art. no. **126051**

1015438









- For steering the medium size tree felling.
- Additionally functions as support for sawing and carrying logs.
- Blade drop forged hardened steel.
- Shaft sturdy, but light weight special steel.
- Fast lock interface for log hook and tongs interoperation.

WoodXpert™ Felling lever - L

Height: - Length: 1150 mm

Width: 86 mm

Weight: 2867 g

Retail box: 2

Old art. no. **126052**

1015439

Art. no.









- For steering the large size tree felling.
- Additionally functions as support for sawing and carrying logs.
- Blade drop forged hardened steel.
- Shaft sturdy, but light weight special steel.
- \bullet Fast lock interface for log hook and tongs interoperation.

Xtract™ saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars XtractTM range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.

Xtract™	⁴ Garden Saw	(L) SW75		Art. no. 1000614	6 4 1 1 5 0 1 2 3 8 8 0 1	
Height: -	Length: 330 mm	Width: 65 mm	Weight: 230 g	Retail box: 4	Old art. no. 123880	6 4 1 1 5 0 1 2 3 8 8 0 1
	•	COMPANY PROPERTY OF THE PROPER	TTTTTTTTT	reddot design award winner 2012	 Efficiently saws fresh w Blade length 255 mm. Large cutting capacity	

Xtract™	⁴ Garden Saw	(S) SW73		Art. no. 1000613	
Height: -	Length: 223 mm	Width: 50 mm	Weight: 130 g	Retail box: 4	Art. no. 1000613 Old art. no. 123870 Old art. no. 2 3 8 7 0 2
	FERNANCE SECTION OF THE PROPERTY OF THE PROPER	KKKKKKKKKKKKK		reddot design award winner 2012	 Efficiently saws fresh wood. Blade length 160 mm. Cutting capacity 120 mm.

Saws

Fixed Blac	de Saw SW	84			Art. no. 1001620	6411501 238405	
Height: -	Length: 500 mm	Width: 95 mm	Weight: 300 g	Retail box: 4	Old art. no. 123840	EAN	6 4 1 1 5 0 1 2 3 8 4 0 5
				d'a			





- Blade 330 mm. Cutting capacity 220 mm.

21" Bow S	aw SW30				Art. no. 1001621	5702264 141004
Height: -	Length: 625 mm	Width: 215 mm	Weight: 500 g	Retail box: 4	Old art. no. 124800	5 702264 141004



• Excellent for sawing 10-20 cm stems and branches.

24" Bow S	aw SW31				Art. no. 1	1000615	Z	
Height: -	Length: 700 mm	Width: 215 mm	Weight: 650 g	Retail box: 4	Old art. no.	124810	EA	5 702264 141011



 \bullet Excellent for sawing >20 cm stems and thicker branches.

Other wood handling tools

Height: - Length: 980 mm Width: 70 mm Weight: 6120 g Retail box: 2 Old art. no. 121100	Log Splitte	er				Art. no. 1001617	z	
	Height: -	Length: 980 mm	Width: 70 mm	Weight: 6120 g	Retail box: 2	Old art. no. 121100	EA	6 4 1 1 5 0 1 2 1 1 0 0 2



- For splitting logs effectively, effortlessly and safely.
 Variable weight removable 1kg counter weight.
 The user's back remains perfectly straight and therefore less effort and strength is required.

Sledge Ha	ammer XL				Art. no. 1001431	EAN
Height: -	Length: 900 mm	Width: 150 mm	Weight: 5180 g	Retail box: 2	Old art. no. 120030	6 411501 200303



- Delayed burring and less risk of chipping due to rounded
- edges on the striking surface.

 Less jarring from miss hits due to rubber miss-hit guard.

 Greater resistance and comfort due to fiberglass core and elastomeric anti-slip as well as anti-vibration handle.

Splitting Wedge Drop Forged						1001614	EAN	
Height: -	Length: 153 mm	Width: 45 mm	Weight: 700 g	Retail box: 4	Old art. no	. 120010	Ē	6 4 1 1 5 0 3 1 1 6 4 6 0 3
. 6 6					• For split	ting difficult logs.		



- Forged steel.
- Light weight.

Splitting Wedge Helicoidal					Art. no. 1000600	Z	
Height: -	Length: 200 mm	Width: 40 mm	Weight: 2200 g	Retail box: 4	Old art. no. 120020		6 4 1 1 5 0 1 2 0 0 2 0 4
					No need to use several we	edaes a	as the helicoidal shape



- makes the wood burst more easily.
- No material fragmentation due to rounded head.
- Anti-return slot.
- Forged steel.

Helicoidal	edge SAFE	Art. no. 1001615	Z				
Height: -	Length: 240 mm	Width: 65 mm	Weight: 2400 g	Retail box: 4	Old art. no. 120021	<u> </u>	6 411501 200211





- No need to use several wedges as the helicoidal shape makes the wood burst more easily.
- Highly resistant polyamide striking surface and metal ring.
- Reduced risk of flying particles therefore no need to maintain the striking surface to remove burring.

Spare Stri	king Surfac	ce	Art. no. 1001616	3 157331 221516		
Height: -	Length: 65 mm	Width: 65 mm	Weight: 300 g	Retail box: 1	Old art. no. 122151	3 157331 221516





• Replaceable striking surface for Helicoidal Splitting Wedge SAFE-T (article No. 1001615).

Knives

Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless and carbon steel to ensure years of trouble-free operation.

Weight: 50 g

Utility K	Knife K40		Art. no. 1001622				
Height: -	Length: 225 mm	Width: 50 mm	Weight: 70 g	Retail box: 4	Old art. no.	125860	6"411502"870628
FERARS KIO		>	N	esign Zentrum ordrhein Westfalen esign-Innovation	• Ergonomi	ically designed	ith plastic sheath. plastic handle with finger guard. ength 100 mm.
Hooked	d Grafting Kni	fe K62			Art. no.	1001623	

Retail box: 4



Length: 170 mm

Width: 23 mm

Height: -

Old art. no.	125880	4	8 008220 020473

- \bullet For taking cuttings, picking flowers and vegetables and cutting laterals.
- Handle of recycled plastic attached with a brass rivet.
- Blade of stainless steel.

Grafting P	en Knife K	60	Art. no. 1001625	8 008220 020497		
Height: -	Length: 168 mm	Width: 23 mm	Weight: 50 g	Retail box: 4	Old art. no. 125900	8 008220 020497



- Ideal for grafting and making wooden canes for holding small plants and bushes.
- Handle of recycled plastic attached with a brass rivet.
- Blade of stainless steel.





Fiskars digging

To make digging as easy as possible you need a reliable spade suitable for the task. That is why we have developed a variety of spades and shovels. We have spades for digging in hard soil, for edging and planting. We also have light spades for soft soil. We have shovels for ideal for moving sand, soil and snow. In short, we have a shedload of shovels and spades.



XactTM

Gardening is a demanding pastime. Fiskars Xact™ digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact digging tools fit you – combining the right length with lightweight material and durability.

SmartFit™

This range of telescopic tools have an adjustable shaft length which extends from 1050 mm to 1250 mm. The spades, shovels and forks can be comfortably used at a range of heights. The welded connection between the blade and the shaft ensures rigid durability and longevity while its boron steel construction adds extra strength.

Ergonomic™

Beautifully designed and realized, Fiskars ErgonomicTM is a perfect selection of tools for digging, shovelling and composting – all for the most discerning gardener.

Light

The new beautiful Light range offers you a selection of light-weight tools for planting, cultivating, raking and other gardening tasks. Fiskars versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

Xact[™] spades & shovels







Weight: **1850** g



Width: 190 mm

Length: 1080 mm

Height: -



- \bullet For normal garden soil (grass layer, soft ground).
- Sharpened blade with step board is perfect for digging planting holes, edging beds and removing small amounts of soil.
- For height of users 160 175 cm.


Xact [™] Edging & Planting Spade Large					Art. no. 1003681	z			
Height: -	Length: 1200 mm	Width: 190 mm	Weight: 1950 g	Retail box: 4	Old art. no. 131481				
				reddot design award best of the best 2014	 For normal garden soil Sharpened blade with planting holes, edging be soil. For height of users 175 	step board eds and ren			

reddot design award best of the best 2014

Xact [™] Shovel Large					Art. no. 1003688	
Height: -	Length: 1300 mm	6 411501 324801				
				reddot design award best of the best 2014	The shovel with broad bulk materials, such as Easier shovelling due to	,

Xact[™] forks









SmartFit[™] spades, shovels & forks



SmartFit™	MEdging &	Planting Sp	Art. no. 1000620	z		
Height: -	Length: 1054 mm	Width: 191 mm	Weight: 1660 g	Retail box: 4	Old art. no. 131310	6 411503 250559
				reddot design award winner 2003	 For various gardening ta ling. 	ting edge for edging and planting. asks like planting, edging or shovel- adjusted between 1054-1250 mm.

SmartFit [™] Fork					Art. no. 1000630	z
Height: -	Length: 1165 mm	Width: 193 mm	Weight: 1530 g	Retail box: 4	Old art. no. 133320	6 411503 352550
				reddot design award winner 2003	 Use also for aerating the 	ng over compacted soil. s when bordering or planting. e lawn or rake out stones and weeds. djusted between 1165-1256 mm.



Ergonomic[™] spades, shovels & forks







- Easy penetration through soil layers and roots.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.



Ergonomic™ Garden Spade Pointed

Width: 195 mm Weight: 2100 g Retail box: 4

Art. no. **1001411**Old art. no. **131400**







- For digging planting holes, edging beds and removing small
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.







- For moving sand, gravel and other bulky materials.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

Ergonomi	c™ Garden	Fork	Art. no. 1001413	z		
Height: -	Length: 1210 mm	Width: 210 mm	Weight: 2200 g	Retail box: 4	Old art. no. 133400	5 905568 902108





- For loosening and turning over compacted soil.
- Use also for aerating the lawn or rake out stones and weeds.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.


Ergonomi	с™ Сотро	st Fork	Art. no. 1001695	z		
Height: -	Length: 1370 mm	Width: 220 mm	Weight: 1850 g	Retail box: 4	Old art. no. 133430	5 905568 902504







- For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.
- Angeled shaft and handle for reduced strain on back, hands and wrists.
- Plastic coating on shaft for maximised comfort and grip.
- Boron steel material for strength.

Light spades, shovels & forks






Light Sho	vel		Art. no. 1019602	EPA		
Height: 20 mm	Length: 1230 mm	Width: 24 mm	Weight: 1220 g	Retail box: 4	Old art. no. 132503	6 4 1 1 5 0 1 3 2 5 0 3 7
::		raw	—		 Light shovel with broad lifting and moving soil, m 	d scoop is an easy to handle tool for ulch or snow.





Solid™ spades, shovels & forks





cutting edge.

Solid™ Sp	ade Round	led			Art. no.	1003456	6"411501"314031
Height: -	Length: 1170 mm	Width: 180 mm	Weight: 1890 g	Retail box: 4	Old art. no.	131403	6 411501 314031



• Straight and sharpened cutting edge for cutting grass and moving and mixing soil.

Solid™ Sh	ovel				Art. no. 1003457	N N N N N N N N N N N N N N N N N N N
Height: -	Length: 1270 mm	Width: 235 mm	Weight: 2150 g	Retail box: 4	Old art. no. 132403	6 411501 324030



• For moving sand, gravel and other bulky materials.

Solid™ Fo	ork		Art. no.	1003458			
Height: -	Length: 1220 mm	Width: 170 mm	Weight: 2100 g	Retail box: 4	Old art. no.	133423	6 4 1 1 5 0 1 3 3 4 2 3 7
		FERMI	— (]			ening and turning over for aerating the lawn o	compacted soil. or raking out stones and

Solid™	Compost For	k	Art. no. 1003459		z			
Height: -	Length: 1270 mm	Width: 220 mm	Weight: 1800 g	Retail box: 4	Old art. no.	133433	Ä	6 4 1 1 5 0 1 3 3 4 3 3 6
	$\overline{}$			ı				g loose material like grass, ther garden waste.




Fiskars Cultivating tools

Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes.



Ergonomic™ soil tools




Height: - Length: 1630 mm Width: 125 mm Weight: 640 g Retail box: 4 Old art. no. 136510	Ergonomi	c™ Cultiva	tor			Art. no.	1001301	z	7" 3 1 7 7 9 1" 1 1 6 6 6 1"
	Height: -	Length: 1630 mm	Width: 125 mm	Weight: 640 g	Retail box: 4	Old art. no	. 136510	7	7 3 1 7 7 9 1 1 1 6 6 6 1



• Cultivator for loosening and tiling the soil before planting.

Ergonom	іс™ Ное		Art. no. 1000675	3		
Height: -	Length: 1550 mm	Width: 185 mm	Weight: 530 g	Retail box: 4	Old art. no. 136500	7 3 1 7 7 9 1 1 1 2 6 0 1
1-		_	SAME TO A	⇒ •	Hoe for removing weeds up the soil for cultivation.	s between rows of plants or breaking



Light soil tools




Light Rose	e Rake		Art. no. 1019607				
Height: 60 mm	Length: 1600 mm	Width: 250 mm	Weight: 650 g	Retail box: 4	Old art. no. 135503	H A	6 4 1 1 5 0 1 3 5 5 0 3 4
-	w.				Light rose rake for cleanies around salad and unde Special rake form of hard under plants.	er plants.	,

Light Wee	eding Knife		Art. no. 1019604	E P		
Height: 25 mm	Length: 1600 mm	Width: 80 mm	Weight: 490 g	Retail box: 4	Old art. no. 136543	4 1 1 5 0 1 3 6 5 4 3 9
1	A Print Lighting			-	 Light weeding knife for places in vegetable or flor Steel head in knife shap 	

Light Wee	eder		Art. no. 1019610	E P N		
Height: 55 mm	Length: 1720 mm	Width: 150 mm	Weight: 680 g	Retail box: 4	Old art. no. 136563	6 4 1 1 5 0 1 3 6 5 6 3 7
()-	sames sames				Light weeder for removir larger areas.Sharp steel blade to rem	ng weeds from vegetable bed and nove weeds.

Light Cult	ivator		Art. no. 1019611	EAN		
Height: 110 mm	Length: 1640 mm	Width: 90 mm	Weight: 625 g	Retail box: 4	Old art. no. 136573	6 411501 365736
100	AND LIGHT	_		-	 Light cultivator for loos Sharp hardened steel parallel Cultivating. 	ening compacted soil. prongs to penetrate soil easily when





Solid™ soil tools

Solid™	Cultivator		Art. no. 1016034	8 6 4 1 1 5 0 1 3 5 7 1 4 4		
Height: -	Length: 1640 mm	Width: 117 mm	Weight: 660 g	Retail box: 4	Old art. no. 135714	6 4 1 1 5 0 1 3 5 7 1 4 4
2					Easy to use tool for loose	ening and tiling the soil before



- planting.

 Hardened carbon steel blade.

 Aluminium handle.

Solid™ Ho	е				Art. no. 1016035	6 411501 357137
Height: -	Length: 1550 mm	Width: 185 mm	Weight: 620 g	Retail box: 4	Old art. no. 135713	6 4 1 1 5 0 1 3 5 7 1 3 7




- Efficient tool for removing weeds between rows of plants or breaking up the soil for cultivation.
 Hardened carbon steel blade.

Solid™	Soil Rake		Art. no. 1016036	z		
Height: -	Length: 1540 mm	Width: 358 mm	Weight: 670 g	Retail box: 4	Old art. no. 135715	6"411501" 357151
1						

QuikDrillTM

Fiskars QuikDrill™ makes many garden tasks simpler, easier and more precise. It is a handy tool for many uses when planting flowers or bushes or when aerating and fertilizing the ground.



QuikDrill™	¹ PlusPart S	3			Art. no. 1000637	S 905568 347176
Height: -	Length: 145 mm	Width: 100 mm	Weight: 150 g	Retail box: 2	Old art. no. 134717	5 905568 347176



 Working diameter 100 m 	m.
--	----

QuikDrill™	⁴ PlusPart I	М			Art. no. 1000639	Z U
Height: -	Length: 185 mm	Width: 120 mm	Weight: 320 g	Retail box: 2	Old art. no. 134727	5 905568 347275



• Working diameter 150 mm.

QuikDrill™	¹ PlusPart L	•			Art. no. 1000641	S 9 0 5 5 6 8 3 4 7 3 7 4
Height: -	Length: 220 mm	Width: 150 mm	Weight: 580 g	Retail box: 2	Old art. no. 134737	5 905568 347374



• Working diameter 200 mm.



Fiskars Nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.



Premium Planters™ nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.

Premium	Planters™	Trowel			Art. no. 1000726	z
Height: -	Length: 320 mm	Width: 87 mm	Weight: 130 g	Retail box: 4	Old art. no. 137200	6 4 1 1 5 0 1 3 7 2 0 0 0
	PENATE			reddot design award	 For planting and transpl 	lanting in hard ground.



Premium	Premium Planters™ Cultivator					z
Height: -	Length: 300 mm	Width: 80 mm	Weight: 140 g	Retail box: 4	Old art. no. 137220	6 411501 372208
					• For aerating and looser	ning soil in hard ground.
	PESKANS			reddot design award winner 2011		

Premium Planters™ Weed Fork					Art. no. 1000729	EAN
Height: -	Length: 304 mm	Width: 78 mm	Weight: 130 g	Retail box: 4	Old art. no. 137230	6 411501 372307
_					For planting and weed	ing whilst protecting roots.
	PISKARS			red <mark>dot</mark> design award winner 2011		

Solid™ nursery tools

Solid™ Planters Trowel Art. no. 1000694 Height: -Length: 291 mm Width: 83 mm Weight: 96 g Retail box: 16 Old art. no. 137000





- Ideal for planting and transplanting.
 Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

Solid™ Planters Transplanter						1000695	Z	6 4 1 1 5 0 3 4 6 0 2 0 0
Height: -	Length: 291 mm	Width: 70 mm	Weight: 82 g	Retail box: 16	Old art. no.	137010		6 4 1 1 5 0 3 4 6 0 2 0 0






- Ideal for planting and weeding.
- Perfect for use in narrow bed layouts and on balconies.
 Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

Solid™	Planters Culti	ivator	Art. no. 1001600	EA PARTICIPATION OF THE PARTIC		
Height: -	Length: 276 mm	Width: 76 mm	Weight: 89 g	Retail box: 16	Old art. no. 137020	6 411503 460309
	PERM			il	Ideal for aerating andLightweight and duraRust-proof.Hanging hole for easy	ble FiberComp™ material.

Solid™ Planters Weed Fork						1000696	z	6 411502 460409	
Height: -	Length: 263 mm	Width: 78 mm	Weight: 89 g	Retail box: 16	Old art. no. 137030 6 4 1 1 5 0 2 4				
-		_				planting and weed ght and durable Fi		vhilst protecting roots. comp™ material.	







- Ideal for multiple planting and weeding tasks.
- Lightweight and durable FiberComp™ material.
- Rust-proof.
- Hanging hole for easy storage.

• Hanging hole for easy storage.

Inspiration™ nursery tools

Note! Inspitation pruners on page 62

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.

Inspiration	า™ Trowel I	Ruby	Art. no. 1003665	6"411501" 371300"		
Height: -	Length: 291 mm	Width: 83 mm	Weight: 96 g	Retail box: 4	Old art. no. 137130	6 4 1 1 5 0 1 3 7 1 3 0 0



• Ideal for planting and transplanting.

Inspiration™ Cultivator Ruby						1003668	6 4 1 1 5 0 1 3 7 1 3 2 4
Height: -	Length: 276 mm	Width: 76 mm	Weight: 89 g	Retail box: 4	Old art. no. 1	137132	6 4 1 1 5 0 1 3 7 1 3 2 4



• Ideal for aerating and loosening soil.

Inspiration	s Hoe Ruby	Art. no. 1003671	3				
Height: -	Length: 322 mm	Width: 199 mm	Weight: 168 g	Retail box: 4	Old art. no. 137134	Ä	6"411501" 371348"



• Ideal for multiple planting and weeding tasks.

InspirationTM Trowel Lucy Art. no. 1003667 Height: Length: 291 mm Width: 83 mm Weight: 96 g Retail box: 4 Old art. no. 137131



• Ideal for planting and transplanting.

Inspiration	า™ Cultivat	or Lucy	Art. no. 1003670	4 1 1 5 0 1 " 3 7 1 3 3 1 d		
Height: -	Length: 276 mm	Width: 76 mm	Weight: 89 g	Retail box: 4	Old art. no. 137133	6 4 1 1 5 0 1 3 7 1 3 3 1



• Ideal for aerating and loosening soil.

Inspiration	n™ Planters	s Hoe Lucy	Art. no. 1003696	6"411501" 371355		
Height: -	Length: 322 mm	Width: 199 mm	Weight: 168 g	Retail box: 4	Old art. no. 137135	6 4 1 1 5 0 1 3 7 1 3 5 5



• Ideal for multiple planting and weeding tasks.



Find Inspiration $^{\text{TM}}$ pruners on page 62.

More Inspiration tools in our Kitchen catalogue or on our website






Ergonomic[™] & Light rakes

ErgonomicTM Rake for lawn and leaves Art. no. 1000660 Height: - Length: 1810 mm Width: 585 mm Weight: 800 g • Wide rake for working on large lawn areas. • Sturdy flexible tines with specific geometry prevents twigs and leaves from getting caught.

Light Leaf	Rake		Art. no. 1019606	EAN		
Height: -	Length: 1720 mm	Width: 51 mm	Weight: 590 g	Retail box: 4	Old art. no. 135563	6 4 1 1 5 0 1 3 5 5 6 3 8



- Light leaf and lawn rake for cleaning the lawn and yard.
- Sturdy and flexible tines prevent twigs and leaves from getting caught.



Solid™ rakes

Solid™ Leaf Rake XL Art. no. 1015645 Height: -Length: 1735 mm Width: 646 mm Weight: 800 g Retail box: 5 Old art. no. **135090**



- Extra wide head (65cm) allows to rapidly rake large areas.
- Easier raking due to new durable aluminium shaft.
 27 flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head.

Solid™ Le	af Rake L		Art. no. 1003465	EAN		
Height: -	Length: 1710 mm	Width: 520 mm	Weight: 580 g	Retail box: 5	Old art. no. 135016	6 411501 350169



- Wide rake for working on large lawn areas.
 Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught.

 • Lightweight but durable aluminium handle.

Solid™	Leaf Rake M		Art. no. 1003464	z		
Height: -	Length: 1700 mm	Width: 415 mm	Weight: 560 g	Retail box: 5	Old art. no. 135026	6 411501 350268
	-		_		like around trees or unde	on rooty and uneven surfaces.

Solid™ Ur	niversal Gai	rden Rake			Art. no. 1003466	EAN
Height: -	Length: 1640 mm	Width: 410 mm	Weight: 600 g	Retail box: 5	Old art. no. 135066	6 411501 350664
1					For raking long, loose graplanting beds.Levelling function to ever	ass or branches and for preparing

Solid™ Shaft					Art. no. 1014913	3
Height: -	Length: 1600 mm	Width: 28 mm	Weight: 350 g	Retail box: 10	Old art. no. 135001	6 411501 350015

• Lightweight and durable aluminum construction.

• Lightweight but durable aluminium handle.

- Compatible with Solid rakes heads (article No. 1014914, 1014915 & 1014917).
- Spare part for rakes (article No. 1003465, 1003464 & 1003466).

Solid™ rakes

Solid™ Le	ad L	Art. no. 1014915	Z	######################################			
Height: -	Length: 228 mm	Width: 520 mm	Weight: 230 g	Retail box: 10	Old art. no. 135014	6	411501 350145



- Wide rake for working on large lawn areas.
- Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003465).

Solid™ Le	af Rake He	ad M	Art. no. 1014914	6 4 1 1 5 0 1 3 5 0 2 4 4		
Height: -	Length: 212 mm	Width: 415 mm	Weight: 196 g	Retail box: 10	Old art. no. 135024	6 4 1 1 5 0 1 3 5 0 2 4 4



- Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.
- \bullet Sturdy tines work well on rooty and uneven surfaces.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003464).

Solid™ Universal Garden Rake						1014917	6 4 1 1 5 0 1 3 5 0 6 4 0
Height: -	Length: 152 mm	Width: 410 mm	Weight: 250 g	Retail box: 10	Old art. no.	135064	6 4 1 1 5 0 1 3 5 0 6 4 0





- For raking long, loose grass or branches and for preparing planting beds.
- Levelling function to even the soil bed.
- Complementary to Solid Shaft (article No. 1014913).
- Spare part for rake (article No. 1003466).



Fiskars Grass shears



Grass shears

PowerLev	er™ Grass	And Hedge	Shear GS	53	Art. no. 1001565	8 6 4 1 1 5 0 2 9 6 7 1 0 6
Height: -	Length: 899 mm	Width: 201 mm	Weight: 1380 g	Retail box: 4	Old art. no. 113710	6 411502 967106
					• For outting groop, hodges	and amall bushes









- For cutting grass, hedges and small bushes.
- Cuts up to 10 mm at the base of the blade and reaches up to 2,5 meters.
- Cutting head adjusts up to 270°.

Servo-Sys	tem™ Gras	ss Shear, Lo	Art. no. 1000590	6 411501 966902		
Height: -	Length: 1035 mm	Width: 240 mm	Weight: 600 g	Retail box: 4	Old art. no. 113690	6 4 1 1 5 0 1 9 6 6 9 0 2





reddot design award winner 2006

- For trimming lawn edges standing up.
- Cutting angle adjustable 360°.
- Ergonomic handle with finger protection.
 Servo-System™ technology prevents the blades from

Servo-Sys	tem™ Gra	ss Shear G	Art. no. 1000589	6 411501 966803		
Height: -	Length: 344 mm	Width: 42 mm	Weight: 260 g	Retail box: 4	Old art. no. 113680	6 4 1 1 5 0 1 9 6 6 8 0 3







- For trimming lawn edges and hedges.Cutting angle adjustable 360°.

- Ergonomic handle with finger protection.
 Servo-System™ technology prevents the blades from jamming.

Grass She	ear S50		Art. no. 1000557	6 4 1 1 5 0 1 1 1 0 9 0 9		
Height: -	Length: 260 mm	Width: 70 mm	Weight: 100 g	Retail box: 3	Old art. no. 111090	6 411501 110909



- For trimming lawn edges and hedges.
 SoftGrip™ cover in upper handle for increased comfort.
 Precise and easy cutting thanks to adjustable blade tension and power-saving spring mechanism.


The new and improved weed pullers

Fiskars has three weed puller models to choose from. The sturdy Xact™ with ergonomic handle design, SmartFit that fits different size users due to it's adjustable shaft and the Light Series with ease of use and light aluminium construction.



Weedpullers







• Ergonomically designed handle.

Light Weed puller						1020127	z	
Height: 900 mm	Length: 900 mm	Width: 30 mm	Weight: 900 g	Retail box: 4	Old art. no	. 139940	EAN	6 4 1 1 5 0 1 3 9 9 4 0 3
		PSHARS SIN			• Light We ly and effo		oving	any root weeds ergonomical-



Reel Mowers

StaySharp Max Reel Mower Art. no. 1000591 Height: Length: 1220 mm Width: 610 mm Weight: 23,50 kg Retail box: 1 Old art. no. 113880



- 2x more cutting power compared to standard reel mowers.
- 60% easier to push than other reel mowers.
- Cut height adjustable between 2 -10 cm.
- Compatible with grass catcher.

StaySharp	Plus Reel	Mower	Art. no. 1015649	6 411501 138729		
Height: -	Length: 1220 mm	Width: 610 mm	Weight: 18,60 kg	Retail box: 1	Old art. no. 113872	6 4 1 1 5 0 1 1 3 8 7 2 9



- 75% more cutting power compared to standard reel mow-
- 40% easier to push than other reel mowers.
- Cut height adjustable between 4 -10 cm.

StaySharp Grass Catcher						1000592	4 1 1 5 0 1 1 3 8 8 3 5 6 4 1 1 5 0 1 1 3 8 8 3 5
Height: -	Length: 550 mm	Width: 540 mm	Weight: 1900 g	Retail box: 1	Old art. no.	113883	6 4 1 1 5 0 1 1 3 8 8 3 5



- \bullet Simple tool-free assembly to Fiskars StaySharp $^{\text{TM}}$ Max Mower.
- Effective capacity of approximately 18 litres.
- UV and mildew resistant polyester screen and heavy duty steel frame for long lasting performance.

Fiskars StaySharp™



The Fiskars StaySharp™ Max reel mower promotes greener, healthier lawns by cutting each blade of grass cleanly with a scissor-like action. This minimizes the lawn's moisture loss and reduces exposure to disease.

The Reel Mower lets you cut grass without noise, uncomfortable vibrations and the hazards associated with power driven rotary blades. It is one of the most environmentally friendly ways to cut your lawn.

- Long-lasting performance due to StaySharp™ cutting system using precision-ground, hardened steel blades to cut grass without touching
- Ergonomic, height-adjustable handle with padded grip for more comfort
- Forward grass discharge

Solid™ yard tools

Solid™ La	wn Edger		Art. no. 1011617	Z 7 3 1 7 7 9 7 0 3 5 0 0 3		
Height: -	Length: 1090 mm	Width: 230 mm	Weight: 1850 g	Retail box: 3	Old art. no. 5371	7 317797 035003



- Durable all steel.
- Optimal for cutting straight edges on lawn and planting

Solid™ All Purpose Yard Broom					Art. no.	1003467	z	6'411501"355416
Height: 80 mm	Length: 1590 mm	Width: 380 mm	Weight: 680 g	Retail box: 4	Old art. no.	135541	Ä	6 4 1 1 5 0 1 3 5 5 4 1 6



- All-purpose yard broom for cleaning pavements, patios and
- other yard areas.

 Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
- Modern design.

Solid™ Gr	ipper				Art. no. 1015681	EAN
Height: -	Length: 870 mm	Width: 240 mm	Weight: 400 g	Retail box: 5	Old art. no. 148522	6 411501 485229



- Easy to collect debris from the ground in an ergonomic standing position.
 Rubber pads grip easilly on to paper, leaves, stick and other
- debris.
- Steel shaft.





The orange classics

2017 is the 50th anniversary year for the orange handled Fiskars Classic scissors, design icons that have been popular for a half a century. The range consists of a wide selection of scissors featuring blades made of high quality stainless steel.



Scissors

Fiskars orange handled scissors are design classics that have been popular for more than four decades. Our selection of garden scissors are excellent for precise cutting and trimming tasks. The carbon steel blades easily cut through materials from fine wire to flower stems.

Universal Garden Scissors 24 cm S94 Art. no. 1001538 Height: 29 mm Length: 248 mm Width: 93 mm Weight: 180 g Retail box: 5 Old art. no. 111050A



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.

Universal	Garden Sci	ssors 21 cr	n S90		Art. no. 1001539	4 1 1 5 0 1 1 1 0 4 0 4 6 4 1 1 5 0 1 1 1 0 4 0 4
Height: 21 mm	Length: 212 mm	Width: 80 mm	Weight: 80 g	Retail box: 5	Old art. no. 111040A	6 4 1 1 5 0 1 1 1 0 4 0 4



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.

Universal Garden Scissors 18 cm S92					Art. no. 1000555	z
Height: 25 mm	Length: 185 mm	Width: 80 mm	Weight: 70 g	Retail box: 5	Old art. no. 111030	6 411501 110305



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.
- Serrated lower blade for better control, preventing the flower or plant from slipping forwards.

Floral Sci	ssors S28				Art. no. 1001544	EAN
Height: 20 mm	Length: 192 mm	Width: 75 mm	Weight: 60 g	Retail box: 5	Old art. no. 111010	6 4 1 1 5 0 1 9 3 2 0 0 6



- For cutting flowers and sprouts.
- Serrated lower blade for better control, preventing the flower or plant from slipping forwards.

Pick the right pruner









PowerGearXTM

- Patented PowerGear™ mechanism makes cutting 3,5 times easier compared to standard mechanisms
- Blades made from extra hard, corrosion resistant steel (CrMoV) ensures that they stay sharper longer
- Unique rotating handle movement ensures that all fingers are used simultaneously and exert an equal but reduced pressure for maximum power and less effort on every cut

PowerStep™

- Allows to cut thin and thick branches with the same tool, without compromising on the performance
- Thin branches are cut in one easy snip – thicker branches in 2 or 3 gradual steps to reduce the force needed per stroke
- Mechanism automatically sets the applicable amount of strokes

SmartFit™

- Optimal reach thanks to adjustable length of the handles
- Lightweight product, comfortable to use
- Ergonomic design
- Optimally shaped to fit the hand
- Fits your need multi-purpose usage with adjustability of cutting capacity
- Fits small to large hands

PowerLever™

- Lightweight FiberComp™
 handles designed for small and
 medium-sized hands
- Reduced cutting effort and ability to use all fingers simultaneously thanks to patented PowerLever™ mechanism
- Easier cutting and cleaning due to non-stick PTFE PowerLever Pruners coating on the upper blade to reduce friction



Fingerloop

- Lightweight and strong
 FiberComp™ handles with
 SoftGrip™ for added comfort
 and safety
- Fingers are protected by the loop in the lower handle
- Corrosion resistant, stainless steel blades



SingleStep™

- Lightweight and durable handles made from polypropylene
- Comfortable grip due to sturdy handles
- Steady cutting action due to well-balanced design

PowerGear XTM pruners

Fiskars PowerGear X[™] is a versatile family of tools that include pruners, loppers and hedge shears to cover most of the cutting needs in the garden. The ingenious gear mechanism which boosts the power of the cut is complemented by sharp, quality steel blades and lightweight, durable FiberComp™ handles.

Height: 40 mm Length: 205 mm Width: 69 mm

PowerGear X Pruner M Bypass PX92



Retail box: 4





1023630

Art. no.

Old art. no. -

- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp constuction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance
- Conformed SoftGrip™ handles for optimum comfort and balance
- Optimized for small and medium hand sizes.
- 25 years warranty

1023629

PowerGear X Pruner L Anvil PX93

Height: 40 mm

Length: 215 mm

Width: 75 mm

Weight: 260 g

Weight: 230 g

Retail box: 4

Old art. no. -

Art no









- For heavy cutting of hard branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp constuction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and
- · Optimized for medium and large hand sizes.
- 25 years warranty

1023628

PowerGear X Pruner	L Bypass PX94
--------------------	---------------

Height: 40 mm

Length: 215 mm

Width: 75 mm

Weight: 250 g

Retail box: 4

Old art. no. -

Art. no.









- For heavy cutting of fresh branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp constuction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance
- Conformed SoftGrip[™] handles for optimum comfort and
- Optimized for medium and large hand sizes.
- 25 years warranty

Anvil or bypass?



Both blade and counter blade press into the wood to make a clean cut with less compression damage (cutting blade bypasses counter blade in a scissors-like action). Possible to cut close to the stem. Best suitable for fresh wood.



Upper blade is forced through the wood with greater pressure as the anvil blade supports the branch and spreads the pressure until the cut is complete. Best suitable for dry or dead wood.

PowerStep™, Pro & SmartFit™ pruners

There are a multitude of different plants and tasks in the modern gardens and consequently also gardeners with day-to-day varying needs. The PowerStep™ pruner adjusts to optimal power assistance level for cutting of both thin and thick branches, and the SmartFit™ pruner optimizes the combination of cutting speed and branch thickness. Pro Pruner has been designed according to the traditional form and with special features appreciated by professional gardeners.

PowerSte	ep™ Pruner	Anvil P83	Art. no. 1000575			
Height: 18 mm	Length: 190 mm	Width: 85 mm	Weight: 140 g	Retail box: 4	Old art. no. 111670) 3
· Pa		6	2	reddot design award best of the best 2009 fennia prize good design grows global HONORARY MENTION	 For cutting twigs and branches up to Ø 24 mm when reduced peak efforts are needed. Increased comfort due to FiberComp™ handles and Soft Grip™ covered upper handle. Anvil blade made from FiberComp™ (a fiberglass reinforc polyamide) for increased durability. 	

Pro Prune	er P 90				Art. no. 1001530	N N N N N N N N N N N N N N N N N N N
Height: 20 mm	Length: 230 mm	Width: 70 mm	Weight: 270 g	Retail box: 4	Old art. no. 111960	8 008220 029629



- \bullet Blades are side supported to ensure that they stay in line when cutting thick branches up to Ø 26 mm.
- Includes a wire cutter to spare the blades.
- Adjustable tightening with nut locking ring to help ensure constantly precise cutting.


SmartFit ¹	™ Pruner By	pass P68	Art. no. 1001424	z		
Height: 20 mm	Length: 208 mm	Width: 70 mm	Weight: 190 g	Retail box: 4	Old art. no. 111610	6 4 1 1 5 0 1 1 1 6 1 0 9
	No.			reddot design award winner 2013	branches as well as cuttir mm.	nables quick snipping of thinnering of thicker branches up to Ø 24




- Safety in use and storage due to the convenient locking mechanism accessibe with one hand.
- Comfortable SoftGrip™ handles.

PowerLever™ pruners

Fiskars PowerLever[™] range of three pruners and one hedge shear offers a neat ergonomic package of cutting power. Lightweight FiberComp[™] bodies are complemented by sharp cutting blades and the two-handed pruners offer great reach and ease of cutting in thorny bushes.







Fingerloop pruners

Fiskars Fingerloop range of two pruners and one snip offer a neat and ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers in the cut while the SoftGrip™ inlays give an extra level of comfort for extended work in the garden when pruning.

Fingerloop Universal Snip SP45

Height: 24 mm Length: 218 mm

Width: 76 mm

Weight: 160 g

Retail box: 4

1001533 Art. no.

Old art. no. 111450





- Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.

NOTE! Not for cutting branches in garden.

Fingerloop Pruner Bypass P44

Height: 24 mm

Length: 201 mm

Width: 76 mm

Weight: 150 g

Retail box: 4

1001534

Art. no.

Oldart no. 111440





- \bullet For cutting fresh wood up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably.
- Easier cutting and cleaning due to non-stick coating on the upper blade.

Fingerloop Pruner Anvil P43

Height: 24 mm

Length: 188 mm

Width: 76 mm

Weight: 150 g

Retail box: 4

1001535 Art no

Old art. no. 111430





- For cutting dry and hard wood up to Ø 20 mm.
- The Fingerloop protects fingers and keeps the pruner in hand comfortably
- Increased durability and stable cut due to anvil blade configuration.

SingleStep™ & Solid™ pruners

SingleStep™ Pruner Bypass P26					Art. no.	1000567	z	6 4 1 1 5 0 1 1 1 2 6 0 6
Height: 20 mm	Length: 208 mm	Width: 70 mm	Weight: 200 g	Retail box: 4	Old art. no. 111260	. 111260		6 4 1 1 5 0 1 1 1 2 6 0 6
					• For cutti	ng fresh wood up to	o Ø 2	0 mm.





- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

SingleStep™ Pruner Anvil P25					Art. no.	1000564	6"411501" 112507"
Height: 20 mm	Length: 198 mm	Width: 75 mm	Weight: 180 g	Retail box: 4	Old art. no.	111250	6 4 1 1 5 0 1 1 1 2 5 0 7





- For cutting dry and hard wood up to Ø 20 mm.
- Increased durability and stable cut due to anvil blade configuration.
- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

SingleStep™ Universal Snip SP28						1000571	EAN	
Height: 20 mm	Length: 208 mm	Width: 70 mm	Weight: 200 g	Retail box: 4	Old art. no	art. no. 111280		6 4 1 1 5 0 1 1 1 2 8 0 4
	PSIANS			reddot design award	tubes, rop	d for multiple cutting es or hoses up to Ø		sks like cutting steel, plastics, mm.





- Carbon steel blades.
- Wide serrated blade to prevent slipping in robust tasks.

NOTE! Not recommended for pruning.

SingleStep™ Snip SP27					Art. no. 1000570	8 411501 112705
Height: 20 mm	Length: 210 mm	Width: 76 mm	Weight: 200 g	Retail box: 4	Old art. no. 111270	6 411501 112705
	PRODUCTION OF THE PROPERTY OF			Section award	• Designed for multiple cuttir tubes, ropes or hoses up to @	ng tasks like cutting steel, plastics, Ø 20 mm.





- Narrow blades for better reach and precise cutting

NOTE! Not recommended for pruning.

Inspiration™ pruners

Inspiration™ Pruner Bypass Ruby P26					Art. no. 1003657	6"411501" 112569
Height: 20 mm	Length: 208 mm	Width: 70 mm	Weight: 200 g	Retail box: 4	Old art. no. 111256	6 4 1 1 5 0 1 1 1 2 5 6 9





Carbon steel blades.

Inspiration™ Pruner Bypass Lucy P26				Art. no. 1003664	4 11501 112576	
Height: 20 mm	Length: 208 mm	Width: 70 mm	Weight: 200 g	Retail box: 4	Old art. no. 111257	6 411501 112576



- Ideal for cutting young, green wood up to Ø 22 mm.
 Carbon steel blades.

Inspitation soil care products on page 38-39

PowerGear XTM



PowerGear XTM loppers

PowerGearX[™] Lopper Bypass S LX92

Length: 570 mm Width: 230 mm Weight: 832 g Height: 250 mm

Retail box: 4

Old art. no. 112260

Art. no.

1020186







- For frequent cutting of fresh wood up to Ø 38 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.
- 25 years warranty

PowerGearX [™] Lopper	Bypass	M	LX94
--------------------------------	--------	---	------

Height: 250 mm Length: 640 mm

Width: 230 mm

Weight: 1190 g

Retail box: 4

Art. no. 1020187

Old art. no. 112390







- \bullet For frequent cutting of fresh wood up to Ø 50 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.
- 25 years warranty

PowerGearX[™] Lopper Bypass L LX98

Height: 250 mm

Length: 800 mm Width: 255 mm

Weight: 1342 g

Retail box: 4

1020188 Art. no. Old art no 112490







- \bullet For heavy cutting of fresh wood up to Ø 50 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.
- 25 years warranty

PowerGearX [™] Lopper A	Anvil L LX99
----------------------------------	--------------

Height: 250 mm

Length: 800 mm

Width: 255 mm

Weight: **1357 g**

Retail box: 4

Old art. no. 112440

Art no

1020189





- For heavy cutting of hard and dry wood up to Ø 55 mm.
- Anvil blade configuration for added durability and effective
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.
- 25 years warranty

Height: 22 mm Length: 640 mm

Width: 208 mm



Retail box: 4











Weight: 1130 g





- For heavy cutting of hard, dry wood up to Ø 55 mm.
- Anvil blade configuration for added durability and effective-
- Durable and light to handle due to aluminium shafts.

PowerGear[™] loppers

PowerGear [™] Lopper Bypass, Hook Head (L) L78				Art. no. 1000584	8 4 1 1 5 0 1 1 2 5 9 0 3 1 1	
Height: 28 mm	Length: 692 mm	Width: 180 mm	Weight: 1060 g	Retail box: 4	Old art. no. 112590	6 4 1 1 5 0 1 1 2 5 9 0 3



- \bullet For heavy cutting of fresh wood up to Ø 50 mm.
- Very light weight due to FiberComp™ construction.
- Anvil blade configuration for added durability and effective

PowerGear [™] Lopper Anvil (L) L77				Art. no. 1000583	3	6'41501''125804	
Height: 32 mm	Length: 686 mm	Width: 257 mm	Weight: 1050 g	Retail box: 4	Old art. no. 112580		6 4 1 1 5 0 1 1 2 5 8 0 4



- For heavy cutting of hard and dry wood up to Ø 50 mm.
 Very light weight due to FiberComp™ construction.
 Anvil blade configuration for added durability and effective cuts.

PowerGear [™] Lopper Bypass, Scissor Head (M) L76					Art. no. 1001553	8 4 1 1 5 0 1 1 2 3 0 0 8
Height: 25 mm	Length: 557 mm	Width: 184 mm	Weight: 540 g	Retail box: 4	Old art. no. 112300	6 411501 123008



- For cutting of fresh wood up to Ø 28 mm.
- Very light weight due to FiberComp™ construction.
 Scissor head blades optimised for precision cutting.

PowerGear [™] Lopper Bypass, Hook Head (M) L74					Art. no. 1000582	6 4 1 1 5 0 1 1 2 2 9 0 2
Height: 25 mm	Length: 545 mm	Width: 183 mm	Weight: 550 g	Retail box: 4	Old art. no. 112290	6 411501 122902



- For cutting of fresh wood up to Ø 38 mm.
- Very light weight due to FiberComp™ construction.
 Bypass blades for easy catching of branches and a clean cuts.

PowerGear [™] Lopper Bypass, Scissor Head (S) L72					Art. no. 1001555	z
Height: 25 mm	Length: 460 mm	Width: 152 mm	Weight: 470 g	Retail box: 4	Old art. no. 112200	6"411501" 122001



- \bullet For frequent cutting of fresh wood up to Ø 28 mm.
- Very light weight due to FiberComp™ construction.
- Scissor head blades optimised for precision cutting.

PowerGear[™] loppers

PowerGear [™] Lopper Anvil (S) L71				Art. no. 1001556	6 411501 121806	
Height: 25 mm	Length: 450 mm	Width: 162 mm	Weight: 470 g	Retail box: 4	Old art. no. 112180	6 411501 121806



- \bullet For cutting of hard, dry wood up to Ø 35 mm.
- Very light weight due to FiberComp™ construction.

PowerGear™ Lopper Bypass, Hook Head (S) L70					Art. no. 1002104	6"411501" 121905
Height: 25 mm	Length: 460 mm	Width: 152 mm	Weight: 470 g	Retail box: 4	Old art. no. 112190	6 4 1 1 5 0 1 1 2 1 9 0 5



- For frequent cutting of fresh wood up to Ø 38 mm.
 Very light weight due to FiberComp™ construction.
 Hooked bypass blades for easy catching of branches and a clean cuts.


PowerGear [™] Lopper Anvil (S) L31					Art. no. 1000581	6 4 1 1 5 0 3 9 6 1 7 0 7
Height: 25 mm	Length: 387 mm	Width: 180 mm	Weight: 380 g	Retail box: 4	Old art. no. 112170	6 411503 961707



- For cutting of hard, dry wood up to Ø 35 mm.
- Very light weight due to FiberComp™ construction.



PowerStep™, SmartFit™ & SingleStep™ loppers





Height: 35 mm Length: 665 mm Width: 249 mm

Weight: 1280 g

Retail box: 4

1013564 Art. no.

Old art. no. 112500





HONORARY MENTION

- For cutting branches up to Ø 40 mm both far and near.
- Optimal working position due to adjustable shaft length between 665 - 915mm.
- Hooked bypass blades for easy catching of branches and a clean cuts.
- Increased comfort due to SoftGrip™ covered handles.

SingleStep [™] Lopper Bypass Hook head (S) L28					Art. no. 1001432	6 411501 121608
Height: -	Length: 495 mm	Width: 185 mm	Weight: 950 g	Retail box: 4	Old art. no. 112160	6 411501 121608



- For cutting fresh wood.
- Cutting capacity: Ø 35 mm.
- Blade material: hardened steel, non-stick coating.

SingleStep [™] Lopper Bypass Hook Head (L) L38					Art. no. 1001426	8 4 1 1 5 0 1 1 2 4 6 0 9
Height: -	Length: 816 mm	Width: 346 mm	Weight: 1170 g	Retail box: 4	Old art. no. 112460	6 411501 124609



- For heavy cutting of fresh wood.
- Cutting capacity: Ø 40 mm.
- Blade material: hardened steel, non-stick coating.

SingleStep [™] Lopper Anvil Hook Head (L) L39					Art. no. 1001430	Z	6 411501 124500
Height: -	Length: 816 mm	Width: 346 mm	Weight: 1200 g	Retail box: 4	Old art. no. 112450	E/	6 411501 124500



- For heavy cutting of dry and hard wood.
- Cutting capacity: Ø 40 mm.
- Blade material: upper blade of hardened steel with non-stick coating, anvil blade of aluminium.


Hedge shears

Fiskars has a full range of shears whether your interest is topiary, annual growth control, or simply a nice straight line in your hedge. From robust SingleStep action hedge shears to adjustable telescopic shears. For the toughest jobs, we have shears featuring our unique PowerGearTM technology, which can triple your cutting power right up to the tip.



Hedge Shears

Height: 30 mm Length: 630 mm Width: 165 mm











- For effortless trimming of hedges and bushes.
 Unique PowerGear™ mechanism makes cutting up to 3 times easier vs standard mechanisms.
- Light-weight and durable with PTFE coated precision ground blades.
- \bullet Optimum comfort and balance with SoftGrip $^{\text{TM}}$ handle construction.
- 25 years warranty

PowerLever [™]	Hedge	Shear	HS52

PowerGear X Hedge Shear HSX92

Height: 40 mm Length: 544 mm

Width: 148 mm

Weight: 610 g

Weight: 808 g

Retail box: 4

Old art. no. 114750

Art. no.

1001564











- For easy trimming of hedges and bushes.
- Saving effort up to 2x with PowerLever™ cutting mecha-
- Light weight due to FiberComp™ shaft.

SmartFit™	Hedge	Shear	HS86
-----------	-------	-------	-------------

Height: 45 mm

Length: 675 mm

Width: 215 mm

Weight: 1250 g

Retail box: 4

1013565 Art. no.

Old art. no. 114800





red<mark>dot</mark> design award winner 2014

- For trimming of hedges and bushes both far and near.
- Optimal working position due to adjustable shaft length between 675 - 925 mm.
- Comfortable, non-slip SoftGrip™ handles.

SingleStep™ Hedge Shear Wa	avy Blade HS22
----------------------------	----------------

Height: 45 mm

Length: 580 mm

Width: 190 mm

Weight: 840 g

Retail box: 4

Old art. no. 114730

Art. no.






• For trimming hedges and bushes.

1001433

- Sturdy and comfortable handles of glassfibre reinforced polypropene (PPGF).
- Hardened steel blades with non-stick coating.

Tree Pruners

Fiskars Universal Garden Cutters are multi-use tools that allow accessability to tree crowns and dense bushes, enabling the gardener to trim overhead without needing a ladder, or at ground level without bending or kneeling.



• Can be used with branch saw (art. No 1001561), and fruit

picker (art. No 1001562).

Tree pruner accessories

Extension Pole UP80 Plus Part					Art. no. 1001560	Z	6"411502"964631"
Height: 30 mm	Length: 1453 mm	Width: 60 mm	Weight: 450 g	Retail box: 4	Old art. no. 110460	EAN	6 4 1 1 5 0 2 9 6 4 6 3 1
				<u> </u>	Can be used with Tree pro	uner by	voass UP82 (art. No



- Carried used with free pruner bypass 0F62 1001558) and UP84 (art. No 1001557).
 Can extend cutting heights with 1,5 meters.

Branch Saw UP80 Plus Part					Art. no. 1001561	6 411501 096951
Height: 155 mm	Length: 455 mm	Width: 78 mm	Weight: 220 g	Retail box: 4	Old art. no. 110950	6 411501 096951



- Can be used with article No. 1001558, 1001557, and 1000598.
- Adjustable sawing angle.Sawing area of 380 mm.

Fruit Picker UP80 Plus Part					Art. no.	1001562	Z	6 4 1 1 5 0 1 9 6 9 7 0 5
Height: 205 mm	Length: 290 mm	Width: 155 mm	Weight: 210 g	Retail box: 4	Old art. no.	. 110970		6 4 1 1 5 0 1 9 6 9 7 0 5



- Can be used with article No. 1001558, 1001557 and
- Bag of durable cotton fabric and frame of FiberComp™.



The PB-8 pruning shears



Professional tools

When developing tools for professionals, it is vital that the materials used are the best available. Easy maintainability and replaceable parts are the essential ingredients of our product development philosophy.

We develop all of our products together with professionals. This way we can be sure that the tools are long-lasting and always fit to the task.

Width: 62 mm

Weight: 196 g

Pruning shears, Large PB-8	Art. no.	1020203	z	

Retail box: 4



Height: -

Length: 210 mm

- Professional quality CrMoV blades.
- Lightweight, durable, all weather grivory handles with sturdy arip.
- Left/right hand lock

Old art. no. 111870

- Greased cone bolt.
- Sap groove.

Pruning shears, Medium PB-8						1020204	Z	6"411501" 118509"
Height: -	Length: 201 mm	Width: 62 mm	Weight: 186 g	Retail box: 4	Old art. no. 1	111850		6 4 1 1 5 0 1 1 1 8 5 0 9



- Professional quality CrMoV blades.
- Lightweight, durable, all weather grivory handles with sturdy grip.
- Left/right hand lock.
- Greased cone bolt.
- Sap groove.

Pruning Sa	aw SW-330)	Art. no. 1020199	6 4 1 1 5 0 1 2 3 3 3 0 1		
Height: -	Length: 98 mm	Width: 490 mm	Weight: 230 g	Retail box: 4	Old art. no. 123330	6 411501 233301



- Lightweight 230 g.
- Profesional quality carbon steel blades, SK5.
- Blades for every task.
- Balanced weight distribution. Hollow grinded blade. Integrated sawdust removal teeth.
- $\bullet \ Sturdy \ grip \ with \ SoftGrip^{TM}.$
- Easy maintainability.

Pruning Saw SW-240						1020200	z	6 4 1 1 5 0 1 2 3 2 4 0 3
Height: -	Length: 98 mm	Width: 400 mm	Weight: 200 g	Retail box: 4	Old art. no.	123240		6 4 1 1 5 0 1 2 3 2 4 0 3



- Lightweight 200 g.
- Profesional quality carbon steel blades, SK5.
- Blades for every task.
- Balanced weight distribution. Hollow grinded blade. Integrated sawdust removal teeth.
- Sturdy grip with SoftGrip™.
- Easy maintainability.

Professional tools accessories


Handle kit, PB-8 Large						1020207	Z	
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no	. 111871		6 4 1 1 5 0 1 1 1 8 7 1 4





 Lightweight. 	
Ligitivoigiti.	

- Superior durability.Convenient to use even in cold weather.







- Lightweight.Superior durability.
- Convenient to use even in cold weather.

Springs and bumbers kit, PB-8 Large & Medium						020209	z	6"411501" 118721"
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 1	11872		6 4 1 1 5 0 1 1 1 8 7 2 1





- High quality springs 2 pcs.
- Shock absorber 2 pcs.

Lock and blade screw kit, Large & Medium						1020210	z	6"411501" 118738"
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no.	111873		6 411501 118738





- Cone bolt 1 pcs.
- Dust sealing 1 pcs.
- Screw 1 pcs.
- Locking nut 1 pcs.
- Lock 1pcs + lock spring 1 pcs.

Upper blade kit Pruning Shears, Large & Medium						1020205	Z,	6 4 1 1 5 0 1 1 1 8 7 4 5
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no.	111874		6 411501 118745





- Professional quality CrMoV upper blade 1 pcs.
- Screws 2 pcs.

Professional tools accessories

Lower blade kit Pruning Shears, Large & Medium Art. no. 1020206 Length: -Width: -Weight: -Retail box: 4 Height: -Old art. no. 111875





- Screws 2 pcs. Nuts 2 pcs.

Blade kit F	PTFE, Large	e and Medi	Art. no. 1020211	4 1 1 5 0 1 1 1 8 7 6 9		
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 111876	6 411501 118769



• PTFE covered blade for easy cutting 1 pcs.

• Screws 2 pcs.

Handle kit for Pruning Saw for SW-330 and SW-240						20202	6 4 1 1 5 0 1 2 3 3 3 2 5
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 123	3332	6 411501 233325



- Sturdy grip with SoftGrip™.
- Screw and nut.

Scabbard kit for Pruning Saw for SW-330 and SW-240						1020201	z	6411501 233318
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no	123331		6 4 1 1 5 0 1 2 3 3 3 1 8



 Scabbard with left- and right-side mounting.
 Usable with WoodXpert tool belt (Article No. 1003626).

Curved replacement blade CC33					Art. no.	1020193	Z	6411501 233363
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no	. 123336		6 411501 233363



- General cutting, fast pruning with fewer strokes.
- Pitch of teeth 4 mm.

Professional tools accessories

Straight replacement blade SC33						1020195	z	6"411501"233370
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no.	123337	EAN	6 4 1 1 5 0 1 2 3 3 3 7 0



Felling cuts.Pitch of teeth 4 mm.

Straight re	eplacemen	t blade SF3	Art. no. 1020197	6 4 1 1 5 0 1 2 3 3 3 8 7		
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 123338	6 4 1 1 5 0 1 2 3 3 3 8 7



• Fruit trees and trees with loose bark.

• Pitch of teeth 2.5 mm.

Curved re	blade CC2	Art. no. 1020194	Z	6411501 232465			
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 123246		6 4 1 1 5 0 1 2 3 2 4 6 5



• General cutting.

• Pitch of teeth 4 mm.

Straight re	eplacemen	t blade SC2	Art. no. 1020196	z	1 232472		
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 123247	6 41150	1 232472



• Root cuts.

• Pitch of teeth 4 mm.

Straight replacement blade SF24					Art. no. 1020198	Z	
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 123248	1 4	6"411501"232489



• Fruit trees and trees with loose bark.

• Pitch of teeth 2.5 mm.







Smart and safe solution

Fiskars QuikFit™ is a range of garden products with interchangeable heads and handles for a variety of garden tasks. In particular, Fiskars QuikFit™ offers safe and smart solutions for those high reach jobs, enables effective lawn and yard cleaning and offers neat and transportable solutions for cultivating work.





Click & Reach

Within the Click&Reach range, QuikFit™ offers easy solutions for those hard-to-reach tasks, paying the due attention to safety. Forget the ladder when sawing high branches or cleaning gutters – let QuikFit™ do the job from the ground up.



Click & Clean

Within the Click&Clean range QuikFit[™] Fiskars offers easy solutions for cleaning your lawn and yard with special attention paid to functionality and storage efficiency. With their unique and smart design QuikFit[™] rakes and brooms allow you to perform the garden tidy-up with minimum effort, while keeping your shed neat and free from clutter when not in use.



Click & Grow

Within the Click&Grow range, QuikFit™ offers easy and mobile solutions for cultivating vegetable and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.

QuikFit™ Click & Reach



reddot design award winner 2010

QuikFit™	Tree Cutter		Art. no. 1001410	8 4 1 1 5 0 1 3 6 5 2 5 5		
Height: 70 mm	Length: 400 mm	Width: 110 mm	Weight: 480 g	Retail box: 6	Old art. no. 136525	6 4 1 1 5 0 1 3 6 5 2 5 5





- Enhanced cutting power (x12) with PowerReel™ mechanism.
- No external ropes on the cutting head allows to easily reach any branch.
- Anvil cutting action for dry and hard wood.
- Cutting capacity: Ø 32 mm.

Recommended Shaft: Telescopic Shaft L and Telescopic

QuikFit™ (Curved Sav	V	Art. no. 1000691	5 9 0 5 5 6 8 3 6 5 2 7 9		
Height: 35 mm	Length: 560 mm	Width: 70 mm	Weight: 390 g	Retail box: 6	Old art. no. 136527	5 905568 365279



- Pull saw with hardened steel blade with a length of 360 mm.
- Top-hook ensures non-slip stediness while pulling.
- Bottom knife ensures a clean and precise finishing cut from below the branch.

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

QuikFit™ I	Fruit Picker	•	Art. no. 1000693	E A N		
Height: 85 mm	Length: 320 mm	Width: 168 mm	Weight: 250 g	Retail box: 6	Old art. no. 136950	5 905568 369505



- For easy pulling from the branch due to broad opening, optimal design which directs the fruit to the end of the tips.
- Cotton bag, which can be removed for washing.
 Added durability due to FiberComp™ lightweight design. Recommended Shaft: Telescopic Shaft L, Telescopic Shaft M and Shaft L.

QuikFit™	Gutter Clea	ner	Art. no. 1001414	5 9 0 5 5 6 8 3 5 5 4 2 3		
Height: 150 mm	Length: 310 mm	Width: 45 mm	Weight: 330 g	Retail box: 6	Old art. no. 135542	5 905568 355423



- Combination of brush and scraper offers full complement gutter cleaning capabilities.
- Adjustable angle ensures optimal positioning of tool safely from the ground.

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

QuikFit™ Telescopic Shaft M					Art. no.	1000666	Z	
Height: 37 mm	Length: 1400 mm	Width: 65 mm	Weight: 1000 g	Retail box: 6	Old art. no.	136042	5	905568 360427



- Especially designed for hard to reach tasks in the garden with a reach of up to 4 metres, it fits conveniently into most cars.
- Dual locking system for maximum safety.
- · Lightweight aluminium.
- Adjustable shaft length from 1400 2400 mm.

QuikFit™ Click & Reach



QuikFit™ Telescopic Shaft L					Art. no. 1000665	5905568 360328
Height: 40 mm	Length: 2280 mm	Width: 90 mm	Weight: 1600 g	Retail box: 4	Old art. no. 136032	5 905568 360328

- Especially designed for hard to reach tasks in the garden with a reach of up to 6 meters.
- Dual locking system for maximum safety.
- Lightweight aluminium.
- Adjustable shaft length from 2280 4000 mm.



QuikFit™ Click & Clean



reddot design award winner 2010

QuikFit™ Leaf Rake L					Art. no. 100	00642	
Height: 53 mm	Length: 320 mm	Width: 520 mm	Weight: 290 g	Retail box: 6	Old art. no. 135	5013	6 4 1 1 5 0 1 3 5 0 1 3 8



- Wide rake for gathering fallen leaves and grass cuttings.
- More comfort with less effort due to tines working in a pulling
- \bullet 25 soft and flexible tines of high-quality PBT plastic that withstand bending. Recommended Shaft: Shaft L

QuikFit™	Leaf Rake I	Metal	Art. no. 1000644	4 1 1 5 0 1 3 5 2 0 1 9		
Height: 70 mm	Length: 470 mm	Width: 430 mm	Weight: 445 g	Retail box: 6	Old art. no. 135201	6 4 1 1 5 0 1 3 5 2 0 1 9



- For removing loose moss and grass cuttings from the lawn.
- 22 flexible steel prongs. Recommended Shaft: Shaft L

QuikFit™	æ	Art. no. 1000656	z				
Height: 125 mm	Length: 175 mm	Width: 580 mm	Weight: 1017 g	Retail box: 2	Old art. no. 135514		5 9 0 5 5 6 8 5 4 0 3 3 1



- \bullet Wide rake for gathering leaves and cutting waste from lawn areas.
- Hardened carbon steel head. Recommended Shaft: Shaft L

QuikFit [™] Aerator Rake					Art. no. 1000655	NA MININA
Height: 75 mm	Length: 270 mm	Width: 365 mm	Weight: 961 g	Retail box: 2	Old art. no. 135513	5 905568 540324



- For removing moss and thatch from lawn areas. • Hardened carbon steel head.
- Recommended Shaft: Shaft L

QuikFit™ Leaf Rake S					Art. no. 1000659	Z	6"411501" 355515"
Height: 42 mm	Length: 320 mm	Width: 220 mm	Weight: 170 g	Retail box: 6	Old art. no. 135551	EA	6 4 1 1 5 0 1 3 5 5 5 1 5



- Convenient small leaf rake for clearing around narrow beds
- More comfort with less effort due to tines working in a pulling
- 11 soft and flexible tines of high-quality PBT plastic that withstand bending.

Recommended shaft: Shaft M and L

QuikFit™ Click & Clean



reddot design award winner 2010

QuikFit™ Flower Rake						1001412	8 6 4 1 1 5 0 1 3 5 5 5	
Height: 41 mm	Length: 384 mm	Width: 124 mm	Weight: 210 g	Retail box: 6	Old art. no	135552	6 4 1 1 5 0 1 3 5 5	5 2 2



- Durable FiberComp™ frame and 7 steel tines construction.
- 13 cm working width ideal for nursery spaces and narrow plant beds.

Recommended shaft: Handle S and Shaft M

QuikFit™ Lawn Edger					Art. no. 1000690	3 9 0 5 5 6 8 5 4 0 4 5 4
Height: 28 mm	Length: 260 mm	Width: 195 mm	Weight: 398 g	Retail box: 6	Old art. no. 136526	5 905568 540454



- For clearing the space between the lawn and hard surfaces by stepping on the blade and driving it deep into the lawn.
- For edging the borders.
- Hardened boron steel head with flat top.

Recommended shaft: Shaft M and L

QuikFit™ `	Yard Broon	า	Art. no. 1001417	Z		
Height: 195 mm	Length: 290 mm	Width: 70 mm	Weight: 340 g	Retail box: 6	Old art. no. 135532	5 905568 355324





- All-purpose yard broom.
 Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping.
 Recommended shaft: Shaft M and L

QuikFit™ Patio Broom					Art. no.	1001416	5 9 0 5 5 6 8 3 5 5 3 3 1
Height: 185 mm	Length: 380 mm	Width: 75 mm	Weight: 370 g	Retail box: 6	Old art. no.	135533	5 905568 355331



- For sweeping smooth surfaces like patios, wooden decks and polished concrete floors.
- \bullet Fast efficient sweeping due to the wide brush head and soft bristles.

Recommended shaft: Shaft M and L

QuikFit™ Sweeping Broom					Art. no.	1001415	
Height: 290 mm	Length: 260 mm	Width: 70 mm	Weight: 375 g	Retail box: 6	Old art. no.	135534	5 905568 355348



- A modern take on the traditional sweeping broom.
- Robust construction and long bristles ideal for coarser debris, leaves etc..

Recommended shaft: Shaft M and L

QuikFit™ Click & Clean



red<mark>dot</mark> design award winner 2010

QuikFit™ I	Paving Brus	Art. no. 1000657	M 5 9 0 5 5 6 8 3			
Height: 37 mm	Length: 185 mm	Width: 152 mm	Weight: 160 g	Retail box: 6	Old art. no. 135522	5 905568 3



- \bullet For removing moss and weeds from between paving slabs.
- Hardened steel front blade for stubborn moss and dirt.
- Steel bristles to scrub paving and slabs.
- \bullet More durable and resistant to moisture due to lightweight FiberComp $^{\text{TM}}$ construction.

Recommended shaft: Shaft M and L

QuikFit™ Patio Knife					Art. no. 1000687	L PAN
Height: 28 mm	Length: 250 mm	Width: 70 mm	Weight: 136 g	Retail box: 6	Old art. no. 136521	5 905568 540393



- Ideal tool for removing grass, moss and weeds from between slabs, block paving, wall corners and steps.
- Blade of hardened boron steel. Recommended shaft: Shaft M and L

QuikFit™ \$	Snow Push	er	Art. no. 1000743	R 6 4 1 1 5 0 1 4 3 2 1 0 0		
Height: 76 mm	Length: 320 mm	Width: 360 mm	Weight: 470 g	Retail box: 2	Old art. no. 143210	6 411501 432100



- Ideal for clearing snow from steps and patios.
 Scoop of PP plastic with aluminium edge.
 Recommended shaft: Shaft M and L
- QuikFitTM Straight Saw
 Art. no. 1000692

 Height: 50 mm
 Length: 620 mm
 Width: 50 mm
 Weight: 200 g
 Retail box: 6
 Old art. no. 136528



- For sawing tasks in the garden.
- \bullet FiberCompTM slider and adaptor.
- \bullet Hardened steel blade with a length of 345 mm.

Recommended shaft: Shaft M and L



reddot design award winner 2010

QuikFit™ Soil Rake 14 prongs					Art. no. 100	00653	5 9 0 5 5 6 8 5 4 0 3 0 0
Height: 70 mm	Length: 205 mm	Width: 360 mm	Weight: 428 g	Retail box: 6	Old art. no. 135	35511	5 905568 540300



- For raking, levelling or smoothing seed beds that cover a wider area.
- 14 spikes of hardened carbon steel. Recommended shaft: Shaft L

QuikFit™ Soil Rake 16 prongs					Art. no. 1000654	5 9 0 5 5 6 8 5 4 0 3 1 7
Height: 70 mm	Length: 205 mm	Width: 400 mm	Weight: 493 g	Retail box: 6	Old art. no. 135512	5 9 0 5 5 6 8 5 4 0 3 1 7



- For raking, levelling or smoothing seed beds that cover a wider area.
- 16 tines of hardened carbon steel. Recommended shaft: Shaft L

QuikFit™ l	Universal R	ake	Art. no. 1000643	8 4 1 1 5 0 1 3 5 0 5 1 0		
Height: 110 mm	Length: 152 mm	Width: 410 mm	Weight: 260 g	Retail box: 6	Old art. no. 135051	6 4 1 1 5 0 1 3 5 0 5 1 0





- For raking and clearing long loose grass.
- Also for making planting beds by levelling the ground and sand and packing down the soil.
 12 FiberComp™ tines designed at a specific angle to help
- with ergonomic posture.
- Levelling function to even the soil bed. Recommended shaft: Shaft L

QuikFit™ Rose Rake					Art. no. 1000651	N 905568 540355
Height: 45 mm	Length: 225 mm	Width: 245 mm	Weight: 233 g	Retail box: 6	Old art. no. 135501	5 905568 540355



- Unique head shape allows the gardener to work between plants and stems without damaging the plants.
- Ideal for narrow bed layouts.
- 10 teeth of hardened boron steel.

Recommended shaft: Shaft L and M

QuikFit™ Cultivator					Art. no.	1000680	Z	5 9 0 5 5 6 8 5 4 0 4 2 3
Height: 115 mm	Length: 305 mm	Width: 125 mm	Weight: 417 g	Retail box: 6	Old art. no.	136511		5 9 0 5 5 6 8 5 4 0 4 2 3



- For cultivating, scarifying, aerating and breaking up soil.
- Suitable for seed bed preparation and maintenance.
- Blade of hardened carbon steel.

Recommended shaft: Shaft L



red<mark>dot</mark> design award winner 2010

QuikFit™ Cultiweeder					Art. no. 1000681	EAN
Height: 175 mm	Length: 305 mm	Width: 125 mm	Weight: 507 g	Retail box: 6	Old art. no. 136512	5"905568" 540416



- For cultivating, scarifying, aerating and breaking up soil.
- Suitable for seed bed preparation and maintenance.
- Blade of hardened carbon steel.

Recommended shaft: Shaft L

QuikFit™ Grubber					Art. no. 1000685	5 9 0 5 5 6 8 3 6 5 1 7 0
Height: 90 mm	Length: 330 mm	Width: 100 mm	Weight: 340 g	Retail box: 6	Old art. no. 136517	5 905568 365170



- For cultivating and aerating garden flower beds.
- Blade of hardened carbon steel.

 Recommended shaft: Shaft M and L

QuikFit™ Hoe					Art. no.	1000677	z	
Height: 90 mm	Length: 250 mm	Width: 185 mm	Weight: 254 g	Retail box: 6	Old art. no.	136503	Ĭ	



- Efficient tool for removing weeds between rows of plants or breaking up the soil.
 Blade of stainless steel.
- Blade of stainless steel. Recommended shaft: Shaft L

QuikFit™ Push-Pull Weeder					Art. no. 1000738	z
Height: 35 mm	Length: 250 mm	Width: 155 mm	Weight: 358 g	Retail box: 6	Old art. no. 139970	5 9 0 5 5 6 8 5 4 0 4 0 9



- Useful for weeding as it loosens the soil simply by pushing and pulling back and forth.
- Hardened boron steel head. Recommended shaft: Shaft L

QuikFit [™] Hoe 3 functions					Art. no.	1000682	Z	5 9 0 5 5 6 8 5 4 0 4 3 0
Height: 40 mm	Length: 315 mm	Width: 130 mm	Weight: 241 g	Retail box: 6	Old art. no.	136513	Ä	5 9 0 5 5 6 8 5 4 0 4 3 0



- For working around stems and in narrow spaces.
- Blade is sharpened on 3 sides to assist cultivating at different angles.
- Blade of hardened boron steel.

 Recommended shaft: Shaft L



red<mark>dot</mark> design award winner 2010

QuikFit™ Dutch Hoe						1000676	z	5 9 0 5 5 6 8 5 4 0 3 6 2
Height: 28 mm	Length: 295 mm	Width: 125 mm	Weight: 241 g	Retail box: 6	Old art. no	136502		5 9 0 5 5 6 8 5 4 0 3 6 2



- Sharp, ground weeding blade for removing weeds, breaking up soil, creating seed rows or removing moss from patios.
- Blade of hardened boron steel.

Recommended shaft: Shaft L

QuikFit™	Spiker		Art. no. 1000689	4 1 1 5 0 1 3 6 5 2 4 8		
Height: 100 mm	Length: 305 mm	Width: 205 mm	Weight: 512 g	Retail box: 2	Old art. no. 136524	6 4 1 1 5 0 1 3 6 5 2 4 8



- Used for aerating smaller, narrower plots.
- Allows nutrients to penetrate the surface and helps seed, fertiliser, water, air and light to reach the roots.
- Hardened steel blades. Recommended shaft: Shaft L

QuikFit™ Cultivator Angled					Art. no.	1000683	Z	
Height: 70 mm	Length: 305 mm	Width: 90 mm	Weight: 235 g	Retail box: 6	Old art. no.	136515		5 905568 365156



- For loosening and aerating plant beds to optimise nutrient distribution.
- Tool design protects plants roots.

Carbon steel head.

Recommended shaft: Handle S and Shaft M

QuikFit™ Double Scraper Hoe					Art. no. 1000734	Z
Height: 143 mm	Length: 187 mm	Width: 53 mm	Weight: 220 g	Retail box: 6	Old art. no. 137562	5 905568 375629



- Versatile use on patios and for removing grass, moss and weeds from between tiles and slabs.
- Can also be used to cultivate plant beds.
- Boron steel blades with carbon steel thong.

Recommended shaft: Handle S and Shaft M

QuikFit™ Double Hoe					Art. no.	1000735	EAN	5 9 0 5 5 6 8 3 7 5 7 2 8
Height: 143 mm	Length: 187 mm	Width: 53 mm	Weight: 205 g	Retail box: 6	Old art. no.			



- Versatile use with dual functionality.
- For breaking up soil, cultivating plant beds and weeding.
- Boron steel blades with carbon steel thong. Recommended shaft: Handle S and Shaft M



reddot design award winner 2010

QuikFit™ \	Weed Fork		Art. no. 1000733	E 5 9 0 5 5 6 8 3 7 5 5 2 0		
Height: 35 mm	Length: 273 mm	Width: 77 mm	Weight: 215 g	Retail box: 6	Old art. no. 137552	5 9 0 5 5 6 8 3 7 5 5 2 0



• For transplanting, cultivating and weeding.

• Boron steel head.

Recommended shaft: Handle S and Shaft M

QuikFit™	Trowel		Art. no. 1000730	5 9 0 5 5 6 8 3 7 5 1 2 4		
Height: 63 mm	Length: 318 mm	Width: 73 mm	Weight: 260 g	Retail box: 6	Old art. no. 137512	5 905568 375124



• For planting and transplanting.

Boron steel head.

Recommended shaft: Handle S and Shaft M

QuikFit™ Weed Extractor					Art. no. 1000731	5'905568'375223
Height: 45 mm	Length: 328 mm	Width: 35 mm	Weight: 225 g	Retail box: 6	Old art. no. 137522	5 905568 375223



• For planting and transplanting. Boron steel head.

Recommended shaft: Handle S and Shaft M

QuikFit™ Shaft L					Art. no. 1000661	N N N N N N N N N N N N N N N N N N N
Height: 35 mm	Length: 1560 mm	Width: 75 mm	Weight: 475 g	Retail box: 6	Old art. no. 136001	5 905568 540461

- Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle.
- Hanging hole for easy storage.
- Shaft for allround use in garden.
- A unique automatic lock makes the tool ready for use in seconds.

QuikFit™ \$	Shaft M				Art. no. 1000664	z	
Height: 35 mm	Length: 845 mm	Width: 30 mm	Weight: 290 g	Retail box: 6	Old art. no. 136022	EA	5 905568 360229



- Medium-length shaft which can be used with nursery tools, cultivators and hoes.
- Optimum comfort due to teardrop profile hardened alumini- um shaft with $\operatorname{SoftGrip^{TM}}$ handle.
- A unique automatic lock makes the tool ready for use in seconds.
- Hanging hole for easy storage.

QuikFitTM



QuikFit™ Handle S						1000663	5 9 0 5 5 6 8 3 6 0 1 2 0
Height: 35 mm	Length: 234 mm	Width: 32 mm	Weight: 95 g	Retail box: 6	Old art. no.	136012	5 9 0 5 5 6 8 3 6 0 1 2 0



- Small handle ideal for use with nursery tools.
 Optimum comfort due to aluminium teardrop-shaped frame with FiberComp $^{\text{TM}}$ and a SoftGrip $^{\text{TM}}$ handle.
- Hanging hole for easy storage.

QuikFit™ Universal Adapter						1000617	6 4 1 1 5 0 1 3 0 0 0 0 3
Height: 43 mm	Length: 171 mm	Width: 30 mm	Weight: 71 g	Retail box: 6	Old art. no.	130000	6 4 1 1 5 0 1 3 0 0 0 0 3



- For connecting a variety of interchangable heads produced by other manufacturers.
 • Lightweight FiberComp™ construction.





Car tools

SnowXper	rt™ Car Sho	ovel			Art. no. 1019347	8 411501 430724
Height: 105 mm	Length: 630 mm	Width: 220 mm	Weight: 520 g	Retail box: 6	Old art. no. 143072	6 4 1 1 5 0 1 4 3 0 7 2 4



- Stainless steel blade for increased durability.
- Durable composite structure.
- Lightweight and handy size.

SnowXper	rt™ Brush &	& Ice Scrap	er		Art. no. 1019352	6 411501 430625
Height: 92 mm	Length: 670 mm	Width: 95 mm	Weight: 221 g	Retail box: 6	Old art. no. 143062	6 4 1 1 5 0 1 4 3 0 6 2 5



- 2-sided non scratching elastic bristles.
- Double bladed scraper.
 Easy to store detachable structure.







- All-purpose digging spade for small tasks in all seasons.
 Pointed and sharpened cutting edge.
 Easy to transport and carry.

Solid™ Ca	r Shovel				Art. no. 1019353	2	6 4 1 1 5 0 1 4 3 0 7 3 1
Height: 105 mm	Length: 630 mm	Width: 220 mm	Weight: 500 g	Retail box: 6	Old art. no. 143073	m m	



- Functional tool for removing snow around the car.Compact size fit perfectly to any car.
- Durable structure.

Solid™ Ice	e Scraper				Art. no. 1019354	z
Height: 58 mm	Length: 215 mm	Width: 95 mm	Weight: 70 g	Retail box: 8	Old art. no. 143063	6 411501 430632



- Functional tool for removing ice from the car windows.Sturdy and durable structure.



SnowXpert[™] snow tools

SnowXpert™ Shovel Height: Length: 1310 mm Width: 350 mm Weight: 1400 g Retail box: 3 Old art. no. 141001



- Reinforced polypropylene plastic scoop.
- \bullet For clearing snow from small areas e.g. porch and around the car.

SnowXpe	rt™ Shovel	White			Art. no. 1003605	z
Height: -	Length: 1310 mm	Width: 350 mm	Weight: 1400 g	Retail box: 3	Old art. no. 141002	6'411501'410023
		- 0			the car.	ene plastic scoop. small areas e.g. porch and around snow tools available also in elegant

SnowXper	t™ Pusher				Art. no.	1003469	Z	6 4 1 1 5 0 1 4 3 0 0 1 4
Height: -	Length: 1520 mm	Width: 533 mm	Weight: 1600 g	Retail box: 3	Old art. no.	143001	E	6 4 1 1 5 0 1 4 3 0 0 1 4



- \bullet Reinforced polypropylene plastic scoop.
- For clearing snow from pathways and around the house entrance.

SnowXpert™ Pusher White					Art. no.	1003606	z
Height: -	Length: 1520 mm	Width: 533 mm	Weight: 1600 g	Retail box: 3	Old art. no.	143002	6 4 1 1 5 0 1 4 3 0 0 2 1
					Reinforc	ed polypropylene pl	lastic scoop.



- For clearing snow from pathways and around the house entrance.
- \bullet Most sold SnowXpert $\!^{\text{TM}}$ snow tools available also in elegant white colour.

SnowXper	t™ Roller				Art. no.	1003471	Z	
Height: -	Length: 1759 mm	Width: 533 mm	Weight: 1700 g	Retail box: 2	Old art. no.	143011		6" 4 1 1 5 0 1" 4 3 0 1 1 3"



- Especially suitable for a snow layer of approximately 5 cm.
- Reinforced scoop of polypropylene plastic rolls the snow in front of the pusher.

SnowXpert[™] snow tools





- Lightweight snow sledge for larger snow clearance, e.g. yard and parking area.
- Long sturdy tubular steel handle for easy use.
- Injection moulded scoop for high stability and lightness.

SnowXper	SnowXpert™ Sledge White					1003607	z	6 4 1 1 5 0 1 4 3 0 2 2 9
Height: -	Length: 1495 mm	Width: 720 mm	Weight: 4050 g	Retail box: 6	Old art. no.	143022		6 4 1 1 5 0 1 4 3 0 2 2 9



- Lightweight snow sledge for larger snow clearance, e.g. yard and parking area.

- Long sturdy tubular steel handle for easy use.
 Injection moulded scoop for high stability and lightness.
 Most sold SnowXpert™ snow tools available also in elegant white colour.

Profession	nal Snow Sl	edge			Art. no.	1001631	z	6 4 1 1 5 0 3 2 3 7 9 5 6
Height: -	Length: 1480 mm	Width: 830 mm	Weight: 7000 g	Retail box: 6	Old art. no.	143040		6 4 1 1 5 0 3 2 3 7 9 5 6



- Tubular steel handle.
- Tough zinc coated steel edge.
 Safety reflectors on handles.

Height: -

Snow Light & other snow tools

Snow Light Snow Pusher - Aluminium

Length: 1622 mm Width: 532 mm Weight: 1700 g

Art. no. Old art. no. 143060





Retail box: 3

- Aluminium shaft with plastic coating.
- Ergonomically designed handle.
- Hardened aluminium blade.

1001636

Snow and	Grain Shov	<i>r</i> el			Art. no. 1001	01637	
Height: -	Length: 1268 mm	Width: 310 mm	Weight: 1400 g	Retail box: 6	Old art. no. 1420	2000	6 411503 235280



- Birchwood shaft.
- $\bullet \ \mathsf{Polypropylene} \ \mathsf{grip}.$
- High-quality aluminium blade.

Snow and Grain Shovel - Tempered Art. no. 1001638 Height: - Length: 1161 mm Width: 310 mm Weight: 2000 g Retail box: 4 Old art. no. 142010	Snow and	Grain Shov	Snow and Grain Shovel - Tempered					
	Height: -	Length: 1161 mm	Width: 310 mm	Weight: 2000 g	Retail box: 4	Old art. no. 142010	6 4 1 1 5 0 3 2 3 5	5 0 1



- Birchwood shaft.
- Polypropylene grip.High-quality aluminium blade.

		7 3 1 7 7 9 4 3 1 0 0 0 4	
Height: - Length: 715 mm Width: 255 mm Weight: 750 g Retail box: 3 Old art. no.	o. 141020	7 317794 310004	



- Aluminium shaft with ergonomic plastic coating.
- Ergonomically designed handled.
- Hardened aluminium blade.

Safety Camping & Car Spade					Art. no. 1001574	z
Height: -	Length: 700 mm	Width: 207 mm	Weight: 479 g	Retail box: 6	Old art. no. 131520	6 411503 270007



- Lightweight spade which floats in water, for camping and
- Plastic (PP) handle is resistant to low temperatures.
- Durable aluminium scoop for rigidity and high tensile
- Hexagonal shaft for extra grip.

Foldable Spade					Art. no. 1000621	6"411503"275019
Height: -	Length: 249 mm	Width: 153 mm	Weight: 1016 g	Retail box: 4	Old art. no. 131320	6 411503 275019



- Easy foldable spade, which works as spade and hoe, is practical for camping, sports, etc..
 Canvas sheath for safe storage and protection.
 Durable spade of hardened boron steel, hardened alumini-
- um and plastic.
- Unfolded the spade is 590 mm in length.

Ice Iron					Art. no. 1001639	6"411503"239905
Height: -	Length: 1475 mm	Width: 175 mm	Weight: 1400 g	Retail box: 6	Old art. no. 140000	6 411503 239905




- Purpose-made tool for breaking, chipping and clearing ice.
 Solid painted blade of hardened boron steel.
 Wooden shaft.









Engineered for minimum impact

In our study, vibration emerged as users' number one concern – no wonder, as we discovered jolting and shock waves can potentially lead to discomfort or even injury. This is why we asked our R&D experts to come up with a new type of anti-vibration striking tool. As a result, they created innovative

tools that minimize both shock and vibration, reducing the total energy and lowering the impact felt by the user by up to 70%. Our industry leading vibration-reduction system captures the kinetic energy of the strike, so no matter how hard the hit, the impact on the user is massively reduced.

Strikingly powerful

20oz





High durability shaft

Rugged and durable shaft for increased strength and performance.

√ Up to 70% less shock

Unique anti-vibration system

Unique vibration-reduction system, captures kinetic energy to reduce strike strain on the arm.

✓ Maximum strike control

Optimised balance, ultimate feel

Ergonomically contoured grip and perfectly balanced shaft to give the ultimate strike feel.

Striking tools



Finishing hammer M 16oz/13.5"

Height: 38 Length: 340 Width: **133** Weight: 820

Retail box: 4

Art. no. 1020213







70% less shock – Unique anti-vibration system Rip claw for easy nail pulls and dismantling

reddot award 2016

General-use hammer L 20oz/13.5"

Length: 340 Height: 38

Width: **146** Weight: 910 Retail box: 4

Art. no. 1020214







reddot award 2016

70% less shock - Unique anti-vibration system Rip claw for easy nail pulls and dismantling Nail starter for single-handed nail start

General-use hammer XL 20oz/15.5"

Height: 38

Length: 390

Width: **146**

Weight: 950

Retail box: 4

Art. no.

1020215







reddot award 2016 winner

70% less shock - Unique anti-vibration system Rip claw for easy nail pulls and dismantling Nail starter for single-handed nail start

Framing hammer XXL 22oz/16" milled

Height: 38

Length: 410

Width: **146**

Weight: 1020

Retail box: 4

Art. no. 1020216







70% less shock - Unique anti-vibration system Rip claw for easy nail pulls and dismantling Nail starter for single-handed nail start reddot award 2016 Milled face for reducing mishits

Club hammer M 3 lb/11"

Height: 57

Length: 290

Width: 121

Weight: 1640

Retail box: 2

Art. no. 1020217





reddot award 2016

60% less shock - Unique anti-vibration system Demolition head directs debris safely to the sides Over strike protection

Striking tools (New)



Height: 57 Length: 360 Width: **140**

Weight: 2180

Retail box: 2

Art. no. 1020218







reddot award 2016

60% less shock – Unique anti-vibration system Demolition head directs debris safely to the sides Over strike protection

Sledgehammer L 8 lb/36"

Height: 76 Length: 920

Width: **159**

Weight: **4760**

Retail box: 2

1020219 Art. no.







reddot award 2016

50% less shock - Unique anti-vibration system Demolition head directs debris safely to the sides Over strike protection

Sledgehammer XL 10 lb/36"

Height: 83

Length: 920

Width: 178

Weight: **5670**

Retail box: 2

Art. no. 1020164







reddot award 2016 winner

50% less shock – Unique anti-vibration system Demolition head directs debris safely to the sides Over strike protection

Builder's axe XXL 8 lb/36"

Height: 76

Length: 920

Width: **203**

Weight: 5220

Retail box: 2

Art. no.

1020220







50% less shock - Unique anti-vibration system Sharp splitting edge Over strike protection

reddot award 2016 winner

Pick L 5 lb/36"

Height: 90 Length: 910

Width: 469

Weight: 3400

Retail box: 2

Art. no.

1020166







reddot award 2016

- 50% less shock Unique anti-vibration system
- Sharp induction hardened digging mattock blade
- Over strike protection

Cutting tools

Builder's saw M 160 mm

Length:400 Height:34


Width: 85

Weight: 135

Retail box: 4

Art. no. 1020221





 \bullet Blade can be easily stored inside the handle

• Cuts on the pull stroke



Mineral wool knife

Height:18 Length:420 Width: 38

Weight: 160

Retail box: 4

Art. no. 1001626





• Ideal for cutting insulating materials such as mineral wool or polysterene

Amplify[™] scissors 21 cm

Height:20

Length:220

Width: 80

Weight: 124

Retail box: 5

Art. no. 1020224





• Cut 2 x thicker materials

• High-quality stainless steel blades; stay sharp longer

• Cuts eg. cork board, leather, burlap or rope

Amplify[™] scissors 24 cm

Height:20 Length:250


Width: 90

Weight: 191

Retail box: 5

Art. no. 1020223





• Cut 2 x thicker materials

• High-quality stainless steel blades; stay sharp longer

• Cuts eg. cork board, leather, burlap or rope

Hardware scissors 25 cm

Height:20

Length:320

Width: 90

Weight: 156

Retail box: 5

Art. no. 1020478





EAN

• Ergonomic and durable design

[•] High-quality stainless steel blades with wire cutting notch

Hardware knives

To make cutting effective, your knife should always be as sharp as possible. That's why we integrated a high quality sharpener in the sheath. The sheath is available in all Fiskars hardware knives, so you'll always have it with you.

The handle has great ergonomics, and the innovation in the knives sheath allow both left and right handed use. The range consist of 5 different colour coded knives, covering all building tasks.





Hardware knives New

Builder's knife with sharpener

Height:21 Length:211 Width: 40 Weight: 96 Retail box: 12 1023617 Art. no.



- High quality blade that lasts longer
- Built-in, easy-to-use sharpener
- Sheath reversable for both handed use

Universal knife with sharpener

Height:21 Length:215 Width: 40 Weight: 135 Retail box: 8 1023618 Art. no.



- High quality blade that lasts longer
- Built-in, easy-to-use sharpenerSheath reversable for both handed use
- 3-component erconomic handle (patent pending)

Heavy duty knife with sharpener

Height:21 Length:219 Width: 40 Weight: 150 Retail box: 8 Art. no. 1023619





- Stronger and thicker blade for heavy use
- Works also as deburring file
- Built-in, easy-to-use sharpener
- Sheath reversable for both handed use
- 3-component erconomic handle (patent pending)

Craftsman's knife with sharpener

Height:21 Length:209 Width: 40 Weight: 128 Retail box: 8 Art. no. 1023620



- Shorter blade for more precision
- Built-in, easy-to-use sharpener
- Sheath reversable for both handed use
- 3-component erconomic handle (patent pending)

Carpenter's knife with sharpener

Height:21 Length:224 Width: 40 Weight: 148 Retail box: 8 Art. no. 1023621



- High quality chisel blade
- Built-in, easy-to-use sharpener
- Sheath reversable for both handed use
- 3-component erconomic handle (patent pending)



MyFirst Fiskars children's tools







MyFirst Fiskars Broom					Art. no. 1001418		
Height: 68 mm	Length: 830 mm	Width: 198 mm	Weight: 400 g	Retail box: 5	Old art. no. 138150	6"411501" 381507	
				reddot design award winner 2013	Thick but soft plastic brist functionality and long term	tles for maximum usage comfort, durability.	
BATT-	mark .						

MyFirst Fiskars Watering Can					Art. no. 1001736	z
Height: 210 mm	Length: 170 mm	Width: 120 mm	Weight: 300 g	Retail box: 8	Old art. no. 138220	6 411501 382207



• Capacity of 2 litres.



Accessories

Work Gloves - SIZE 10					Art. no. 1003477	6 4 1 1 5 0 1 6 0 0 0 4 2
Height: -	Length: 325 mm	Width: 120 mm	Weight: 80 g	Retail box: 10	Old art. no. 160004	6 4 1 1 5 0 1 6 0 0 0 4 2



- Non-slip grip with axes and stick tools.
- Reinforced for rough manual work.

Work Gloves - SIZE 8					Art. no. 1003478	6 4 1 1 5 0 1 6 0 0 0 5 9
Height: -	Length: 315 mm	Width: 115 mm	Weight: 75 g	Retail box: 10	Old art. no. 160005	6 4 1 1 5 0 1 6 0 0 0 5 9



- Non-slip grip with axes and stick tools.
- Reinforced for rough manual work.

Solid™ PopUp Garden Bag 56 I					Art. no. 1015646	6 4 1 1 5 0 1 3 5 0 4 1 1
Height: -	Length: Ø400 mm	Width: Ø400 mm	Weight: 600 g	Retail box: 6	Old art. no. 135041	6 4 1 1 5 0 1 3 5 0 4 1 1



- Ideal for collecting wet yard and garden waste like damp
- leaves or grass clipping.
 Height closed: 80 mm, Height open: 460 mm.

Solid™ PopUp Garden Bag 172 I					Art. no. 1015647	6 4 1 1 5 0 1 3 5 0 4 2 8
Height: -	Length: Ø 560 mm	Width: Ø 560 mm	Weight: 1250 g	Retail box: 6	Old art. no. 135042	6 4 1 1 5 0 1 3 5 0 4 2 8



- Ideal for collecting weeds, grass clippings, other types of yard waste or even toys or laundry off the clothesline.
 Folds to 10 cm for space-saving storage.
- Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.

 • Height closed: 100 mm, Height open: 700 mm.

Xsharp [™] Axe and Knife Sharpener				Art. no. 1000601	Z		
Height: -	Length: 165 mm	Width: 35 mm	Weight: 90 g	Retail box: 4	Old art. no. 120740		6 411501 207401





- For regular maintenance of your Fiskars axes and knives, 2 sharpeners in 1.
- Ceramic grind stone has clearly indicated cutting grooves for either axes or knives.
- Optimised sharpening angle for Fiskars blades with easy-touse mechanism.
- Convenient portability.



Maintenance

Maintenance Kit Art. no. 1001640 Height: Length: 104 mm Width: 197 mm Weight: 135 g Retail box: 4 Old art. no. 110990





• Includes a maintenance guidebook, diamond file and oil.

• Instructions on sharpening, oiling, washing, storage etc. is detailed in pictures and symbols.

Spare Blade for Bow Saw SW30					Art. no. 1001706	EAN
Height: -	Length: -	Width: -	Weight: -	Retail box: 5	Old art. no. 124807	0 046561 100674



• 21" Bow Saw SW30 (article No. 1001621)

Spare Blac	Spare Blade for Bow Saw SW31					0 046561 100681
Height: -	Length: -	Width: -	Weight: -	Retail box: 5	Old art. no. 124817	0 0 4 6 5 6 1 1 0 0 6 8 1



• 24" Bow Saw SW31 (article No. 1000615)

Spare parts

Springs for pruners					Art. no. 1023642	EAN	6 411501 130006
Height:	Length:	Width:	Weight:	Retail box:	Old art. no	Ä	6 4 1 1 5 0 1 1 3 0 0 0 6



Spare spring for PowerGearX anvil and bypass pruners:

• PX92 (article No. 1023630) • PX93 (article No. 1023629)

Springs for pruners					Art. no.	1001710	NA MINING THE PROPERTY OF THE
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no.	111447	6 411501 114471



- Fingerloop Pruner Anvil P43 (article No. 1001535),

- Fingerloop Pruner Bypass P44 (article No. 1001534),
 Fingerloop Universal Snip SP45 (article No. 1001534),
 PowerGear Pruner Anvil (S-M) P91 (article No. 1000572),
 PowerGear Pruner Bypass (S-M) P92 (article No. 1000573)

Springs for pruners						1001711	N N N N N N N N N N N N N N N N N N N
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no.	111545	6 4 1 1 5 0 1 1 1 5 4 5 4



For PowerGear Pruner Bypass L P94 (article No. 1000574)

Spare blade for pruner PX92					Art. no. 1023639	Z	6 4 1 1 5 0 1 1 1 0 2 1 3
Height: 3,4 cm	Length: 9 cm	Width: 4cm	Weight: 4,8 g	Retail box:	Old art. no	1	6 411501 110213



Spare blade for PowerGearX Bypass pruner PX92 (article No. 1023630)

Spare blade for pruner PX93					Art. no. 1023640	z
Height: 3,4 cm	Length: 10,4 cm	Width: 4cm	Weight: 5,5 g	Retail box:	Old art. no	6 411501 110220



Spare blade for PowerGearX Anvil pruner PX93 (article No. 1023629)

Spare blade for pruner PX94					Art. no. 1023641	6 4 1 1 5 0 1 1 1 0 2 3 7
Height: 3,4 cm	Length: 10,2 cm	Width: 4cm	Weight: 5,1 g	Retail box:	Old art. no	6 411501 110237



Spare blade for PowerGearX Bypass pruner PX94 (article No. 1023628)

Blade and pivot screw					Art. no. 1001713	6"411501" 115164
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 111516	6 4 1 1 5 0 1 1 1 5 1 6 4



For PowerGear Pruner Anvil (S-M) P91 (article No. 1000572)

Blade and pivot screw					Art. no. 1001714	6"411501" 115263
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 111526	6 411501 115263



For PowerGear Pruner Bypass (S-M) P92 (article No. 1000573)

Blade and pivot screw and adjustable screw					Art. no. 1001712	Z	6411501 115461
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 111546	 	6 4 1 1 5 0 1 1 1 5 4 6 1



For PowerGear Pruner Bypass L P94 (article No. 1000574)

Blade, spring and 3 rivets					Art. no.	1001715	z	
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no	. 111338	EA	6" 4 1 1 5 0 1" 1 1 3 3 8 2"



For PowerLever Pruner Anvil P53 (article No. 1001532)

Blade, spring and 3 rivets					Art. no. 1001716	6"411501" 113481
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 111348	6 4 1 1 5 0 1 1 1 3 4 8 1



For PowerLever Pruner Bypass P54 (article No. 1001531)

Blade for PowerGear™ loppers					Art. no. 1001721	8 4 1 1 5 0 2 9 6 2 5 9 0
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 112277	6 411502 962590



For PowerGear and PowerGear Steel Loppers

- Lopper Bypass, Hook Head (S) L70 (article No. 1002104)
- Lopper Bypass, Hook Head (M) L74 (article No. 1000582)
- Lopper Bypass (S) L90 (article No. 1001552)
- Lopper Bypass (S) L92 (article No. 1001551)
 Lopper Bypass (S) LX92 (article No. 1020186)

Blade for PowerGear™ loppers					Art. no. 1001722	6 411501 123077
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 112307	6 411501 123077



- For PowerGear Loppers:
 Bypass Scissor Head (S) L72 (article No. 1001555)
 Bypass, Scissor Head (M) L76 (article No. 1001553)

Blade for F	™ & Power	Art. no. 1001723	Z				
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 112477	Ē	6 411502 964396



- For PowerGear and PowerGear Steel Loppers

 Bypass, Hook Head (L) L78 (article No. 1000584)

 Bypass Lopper (M) L94 (article No. 1001549)

 Bypass Lopper (L) L98 (article No. 1001548)

 Bypass Lopper (M) LX94 (article No. 1020187)

 Bypass Lopper (L) LX98 (article No. 1020188)

Blade and	anvil for Po	werGear™	loppers		Art. no.	1001724	Z	
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no	. 112287		6 411501 122872



For PowerGear Lopper Anvil (S) L71 (article No. 1001556)

Blade, anv	il and screv	v for Power	Gear™ lop	pers	Art. no. 1001725	6 4 1 1 5 0 2 9 6 3 8 9 4
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 112487	6 4 1 1 5 0 2 9 6 3 8 9 4



For PowerGear $^{\text{TM}}$ Steel and PowerGear $^{\text{TM}}$ X Loppers

- Lopper Anvil (M) L93 (article No. 1001550)
- Lopper Anvil (L) L99 (article No. 1001547)
- Lopper Anvil (L) LX99 (article No. 1020189)

Blade and	anvil for Po	werGear™	loppers		Art. no. 1001726	EAN
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 112587	6 411501 125873



For PowerGear Lopper Anvil (L) L77 (article No. 1000583)

Handle for	hedge she	ars, lopper	S		Art. no. 1001727	EAN
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 112488	6 411501 124883



- Handle for hedge shears and loppers, except for:
 PowerGear Anvil lopper (L) L77 (article No 1000583)
 PowerGear Bypass lopper (L) L78 (article No 1000584)
 Weedpuller (only Weedpuller W52 article No 1000736)

SoftGrip™	handle and	d orange kr	nob		Art. no. 1001728	6 411501 153647
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 115364	6 4 1 1 5 0 1 1 5 3 6 4 7



For Universal Cutters Tree Pruner Bypass UP82 (article No. 1001558)

1 internal r	ope and ro	ll cord			Art. no.	1001729	z	6411501 153661
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no	. 115366	<u> </u>	6 4 1 1 5 0 1 1 5 3 6 6 1



For Universal Cutters Tree Pruner Bypass UP82 (article No. 1001558)

Handle an	d orange k	nob			Art. no. 1001730	z	6"411501" 155658
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 115565		6 4 1 1 5 0 1 1 5 5 6 5 8



For Universal Cutters Tree Pruner Bypass Telescopic UP86 (article No. 1000598)

2 internal i	ropes and r	oll cord			Art. no. 1001731	EAN
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 115568	6 411501 155689



For Universal Cutters Tree Pruner Bypass Telescopic UP86 (article No. 1000598)

Blade, spr	ing and cha	ain link con	nector		Art. no. 1	1001732	Z	6411502 963696
Height: -	Length: -	Width: -	Weight: -	Retail box: 4	Old art. no. 1	115367		6 4 1 1 5 0 2 9 6 3 6 9 6



- For Universal Cutters
 Tree Pruner Bypass Telescopic UP86 (article No. 1000598)
 Tree Pruner Bypass Long UP84 (article No. 1001557)
 Tree Pruner Bypass UP82 (article No. 1001558)

Which tool for which task

		7		
PRUNERS		30	MAN W.	
	SingleStep™ pruners 1000567			Ø 16 mm
	~			
	Fingerloop pruners 1001534			Ø 16 mm
		Ī	0	
	PowerLever™ pruners 1001531			Ø 20 mm
UNIVERSAL CUTTERS			1016	
Universal cutters help you reach difficult spots.	PowerGearX™ Pruner Bypass 1023630			Ø 26 mm
LOPPERS		Universal cutter 1001558	3	Ø 32 mm
Loppers are particularly suited for cutting thicker branches.	PowerLever™ Two hand	d pruner		Ø 22 mm
	PowerGear™ II Lopper 1000581		24	Ø 35 mm
	PowerGear™ II Lopper 1000582	M		Ø 32 mm
AXES AND SAWS				
The saw is particularly suited for removing thick (over Ø 5 cm) branches.	PowerGear™ II Lopper 1000584	L		Ø 50 mm
An axe is good for cutting the thickest branches and splitting firewood.	O State of the Sta			
	Xtract™ Garden Saw L 1000614			Ø 50 mm
	Splitting Axe X25 1015643			Ø 220 mm











Fiskars has been a part of the evolution of tools since 1649. Our scissors have cut millions of meters of fabrics. Our axes have worked millions of trunks. Our knives have cut millions of slices of bread. Our pans have fried millions of carefully marinated steaks – all with a superior outcome.

KITCHEN | GARDEN | CRAFTING | SEWING | SCHOOL & OFFICE | BEAUTY

