

# ROSTAING®

Since 1789



Collection 2012  
[www.rostaing.com](http://www.rostaing.com)



PEFC/10-31-1244

## DIY Collection

Useful information on the materials	3
Promotional Sales Tools	4
<b>Major construction projects</b>	
Building work	6
Framework	8
Cover	9
Cladding	10
Pneumatic Drilling/Ramming/Boring	11
Facades coatings and finishing	12
Work in cold conditions	13
Hydrocarbons	14
<b>Light work</b>	
Patternmaking	16
Painting	17
Tiling	18
Flooring	19
Electrics	20
Plumbing	21
Installing ceiling tiles	22
Mechanics	23
Carpentry	24
Handling	25
Noise reduction accessories	26
Respiratory Protection	27
Safety Glasses	28
Protective Clothing	29
<b>Sales Network</b>	<b>30</b>



## Leather



- **Full grain:** strong and supple.
- **Cowhide:** very strong and resistant to abrasion and tearing. Leather is naturally breathable; it offers excellent comfort and dexterity. Some of our leathers are treated to resist water: "water repellent leather" and they have the advantage of staying supple and comfortable after drying.
- **Heat resistant:** The leather retains its shape up to 250°.

## The fibres



### ACRYLIC

Acrylic: Synthetic material that is resistant to abrasion and tearing.



### COTTON

Natural fibre, supple and soft. Has good insulating power and is naturally fire-retardant.



### DYNEEMA®

A high-density polyethylene fibre offering exceptional resistance to abrasion, breaking and shearing. It provides a sense of freshness and comfort, and it is very lightweight.



### KEVLAR

Para-aramide is resistant to cutting and offers excellent thermal resistance.



### POLYAMIDE

Synthetic material resistant to abrasion, tearing and heat up to 150°C.



### POLYESTER

Synthetic material that is resistant to abrasion and tearing.



### PORELLE®

Polyurethane imper-breathing membrane resistant to water and to certain chemicals; breathable.

## The coatings



### CHLOROPRENE

Synthetic material used in a thick coating for vibration absorbency.



### LATEX

Natural waterproof material, supple and resistant to abrasion and tearing.

### LATEX FOAM

Latex coating foamed by air incorporation.



### NITRILE

Synthetic material resistant to chemicals and grease; supple and resistant to abrasion.



### NITFOAM

Nitrile coating foamed by air incorporation. This process makes nitrile supple and very breathable.



### NITRITEC™

Nitrile is made with microscopic asperities that improve and reinforce the product's grip, in an exceptional way.



### POLYURETHANE

Supple synthetic material, resistant to abrasion and breathable.



### ECOVINYL

Polyvinyl chloride.

17 avenue  
Charles de Gaulle  
01800 Villieu / France  
www.rostaing.com

Export Department:  
tel: 33(0) 474 46 44 42  
or 33 (0) 474 46 07 15  
fax: 33(0) 474 61 34 43

export@rostaing.fr  
acervesato@rostaing.fr



### Display unit

Dimensions:  
Width 0,94 m  
Height 2,35 m  
Depth 0,56 m

### Banner

reference : 2608

To be placed above the display.

Dimensions:  
Width 0,26 m  
Height 0,20 m



### Vertical Banner

reference : 2610

Dimensions:  
Width 0,18 m  
Height 1,18 m

### Cross Marketing

reference: 1951

10 pegs.

Dimensions:  
Width 0,12 m  
Height 1,20 m



### Promotional box

For seasonal promotions.

40, 50 or 100 pairs of gloves.

Dimensions:  
Width 0,54 m  
Height 1,20 m  
Depth 0,36 m



Packs of 10 pairs

# Major construction projects



Safety in Progress

- **WATERPROOF AND SUPPLE**
- **GOOD DEXTERITY**



EN 388		-	←	→	+
2121	abrasion	0	1	2	3 4
	cut	0	1	2 3 4 5	
	tear	0	1	2 3 4	
	perforation	0	1	2 3 4	



## CIMPRO

Use:  
**Finishing work, facades, cleaning.**

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	☆	☆



Thin and supple latex glove, with textured palm for a good grip. Waterproof.

Sizes: 9/10.

Cleaning instructions: Washable with soap and water.



- **COMFORTABLE**
- **WATERPROOF PALMS**
- **EXCELLENT GRIP**
- **HIGH RESISTANCE TO PERFORATION**
- **EXCELLENT VALUE FOR MONEY**



EN 388		-	←	→	+
2244	abrasion	0	1	2	3 4
	cut	0	1	2 3 4 5	
	tear	0	1	2 3 4	
	perforation	0	1	2 3 4	



## GRIPRO

Use:  
**Handling, tools with handles, building work, carpentry (handling boards).**

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	☆	☆



Acrylic knitted glove with thick latex coating. Comfortable and waterproof palms. Excellent grip.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



- **HIGH RESISTANCE TO ABRASION**
- **CUT RESISTANCE (5/5)**
- **WATERPROOF PALMS**
- **EXCELLENT GRIP**
- **EXCELLENT COMFORT**



EN 388		-	←	→	+
3543	abrasion	0	1	2 3 4	
	cut	0	1	2 3 4 5	
	tear	0	1	2 3 4	
	perforation	0	1	2 3 4	



## MACPRO

Use:  
**Major building work, handling sharp materials, fitting windows, cladding.**

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	☆	☆



Knitted glove made from cut-resistant fibre (5/5). Ultra supple latex coating with good resistance to abrasion. Coating on the back of hand ensures impermeability. Fastening strip on wrist. Length: 28 cm for good wrist protection.

Sizes: 8/9/10/11.

Cleaning instructions: None.

# Framework

- EXCELLENT DEXTERITY
- BREATHABLE MATERIAL
- ANTIPERSPIRANT
- HIGH RESISTANCE TO ABRASION




EN 388		-	←	→	+		
3121	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	



## SKINPRO

Use:  
All types of work requiring good dexterity:  
Studding, installing suspended ceilings, plumbing,  
electrics, carpentry, mechanics, drilling, facades.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	★	★



Thin polyamide knitted glove with polyurethane coating (breathable material). Permeable.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



Exists in orange ref: AIRPRO



# Cover

- COMFORTABLE
- WATERPROOF
- EXCELLENT GRIP
- HIGH RESISTANCE TO ABRASION



EN 388		-	←	→	+		
4132	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	



## MAXIPRO

Use:  
All types of work in abrasive or humid conditions: Roofing,  
framework, building work, handling, mechanics, carpentry.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	★	★



Fine polyamide knit with nitrile coating, PVC dotted coating on the palms.  
Waterproof. Oil and grease resistant.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



- GOOD DEXTERITY
- WATERPROOF PALMS
- RESISTANCE TO CUTS
- RESISTANCE TO ABRASION




EN 388		-	←	→	+		
4343	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	



## DYNAPRO

Use:  
All types of abrasive and cutting work in wet and/or  
oily conditions: Roofing, building work, tiling,  
handling sharp metals.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	★	★



Dyneema® - the strongest fibre in the world- knitted glove with nitrile coating. Water, oil and grease repellent.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



The strongest fiber in the world

- RESISTANCE TO CUTS
- RESISTANCE TO ABRASION
- GOOD GRIP
- BREATHABLE MATERIAL, ANTIPERSPIRANT



EN 388		-	←	→	+		
4343	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	



## CUTPRO

Use:  
All types of abrasive and cutting work:  
Roofing, tiling, glazing, plumbing, handling sharp  
metals (pattern makers, electricians).

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	★	★



Dyneema® - the strongest fibre in the world- knitted glove with polyurethane coating, antiperspirant. Permeable.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.





- HIGH RESISTANCE TO CUTS
- GOOD GRIP
- HIGH RESISTANCE TO ABRASION
- EXCELLENT COMFORT



EN 388		-	←	→	+		
4443	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	



## STEELPRO

Use:  
All types of cutting work: cladding, glazing, flooring (carpeting...) patternmaking, guttering etc.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	★	★



Para-aramid and steel thread knitted gloves with nitrile coating. Good grip. Good resistance to splashes of molten metal.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



- ABSORBS VIBRATIONS
- VERY COMFORTABLE



EN 388		-	←	→	+		
X243	abrasion	X	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	

## UIBRAPRO

Use:  
When using a pneumatic drill or machines causing vibrations such as drilling, sanding, boring and demolition. Protects hands and forearms from vibrations.

COMFORT	★	★	★	☆	☆
DURABILITY	★	★	★	☆	☆



Glove 100% cotton with chloroprene coating.

Sizes: 9/10.

Cleaning instructions: Washable with soap and water.



- **WATERPROOF PALM**
- **EXCELLENT GRIP**
- **EXCELLENT DEXTERITY**
- **VERY COMFORTABLE**



EN 388



4121


	-	←	→	+		
abrasion	0	1	2	3	4	
coupure	0	1	2	3	4	5
déchirure	0	1	2	3	4	
perforation	0	1	2	3	4	



## NBRPRO

Use: All types of work requiring good dexterity in wet or oily conditions: Coatings, finishing, tiling, painting, using tools with handles, carpentry, plumbing and mechanics.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Polyamide knitted glove with nitrile foam coating (excellent grip) resistant to water oil and grease.

Sizes: 7/8/9/10.

Cleaning instructions: Washable with soap and water.



- **EXCELLENT DEXTERITY**
- **GOOD RESISTANCE TO ABRASION**
- **BREATHABLE, ANTIPERSPIRANT**



EN 388



3121

	-	←	→	+		
abrasion	0	1	2	3	4	
cut	0	1	2	3	4	5
tear	0	1	2	3	4	
perforation	0	1	2	3	4	



## AIRPRO

Use: All types of work requiring good dexterity: Coating, finishing, plumbing, electrics, carpentry mechanics, installing suspended ceilings etc.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Polyamide knit with polyurethane coating (breathable material, antiperspirant). Permeable.

Sizes: 7/8/9/10/11.

Cleaning instructions: Washable with soap and water.



- **WATERPROOF**
- **WARM AND COMFORTABLE**
- **GREAT VALUE FOR MONEY**



## COLDPRO

Use: All types of exterior work in cold and wet conditions.

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	☆	☆



Glove length: 25 cm in orange acrylic loop-pile with black latex coating. Double layer for comfort and protection against the cold.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



EN 511



X2X

EN 388



2242

Cold convective	✗	1	2	3	4
Cold contact	X	1	2	3	4
Waterproof	✗	1			
X: untested					

	-	←	→	+		
abrasion	0	1	2	3	4	
cut	0	1	2	3	4	5
tear	0	1	2	3	4	
perforation	0	1	2	3	4	

- RESISTANCE TO HYDROCARBONS
- LENGTH ADAPTED TO COVER THE FOREARM
- GOOD RESISTANCE TO ABRASION



EN 388



4111

		-	←	→	+
abrasion	0	1	2	3	4
cut	0	1	2	3	4
tear	0	1	2	3	4
perforation	0	1	2	3	4

**New**

## GASPRO/I

Use:  
Protects against hydrocarbons, oils, acids and solvents.

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	☆	☆




Ecovynile glove with cotton lining. Length: 36 cm.

Size: 10.

Cleaning instructions: Wash with gentle detergent, then with clear water.



# Light work



Safety in Progress



WITH  
**Dyneema®**  
The strongest  
fiber in the world



- RESISTANCE TO CUTS
- RESISTANCE TO ABRASION
- GOOD GRIP
- GOOD DEXTERITY FOR PICKING UP SCREWS!
- GOOD VENTILATION



EN 388		-	←	→	+		
	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	

**4343**

**New**

## CUTPRO

Use:  
All types of abrasive and cutting work:  
Roofing, tiling, glazing, plumbing, handling sharp  
metals (pattern makers, electricians).

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	☆	☆



Dyneema® - the strongest fibre in the world- knitted glove with polyurethane coating, antiperspirant. Permeable.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



- GOOD VENTILATION
- EXCELLENT DEXTERITY
- COMFORTABLE MATERIAL



EN 388		-	←	→	+		
	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	


**3121**

**New**

## WHITEPRO

Use:  
All types of work requiring good dexterity:  
coating, finishing, plumbing, electrics, carpentry,  
installing suspended ceilings etc.

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	☆	☆



Polyamide knitted glove with a polyurethane coating for better ventilation. Permeable.

Sizes: 7/8/9/10/11.

Cleaning instructions: Washable with soap and water.



- RESISTANCE TO ACIDS AND CHEMICAL PRODUCTS
- LENGTH ADAPTED TO USE

**New**



EN 388	EN 374-3	EN 374-2		-	←	→	+			
				abrasion	0	1	2	3	4	
				cut	0	1	2	3	4	5
				tear	0	1	2	3	4	
				perforation	0	1	2	3	4	

**3111**

**AKL**

## NEOPRO400

Use:  
Excellent protection against acids, solvents and  
chemical products, paint, washing, stripping, tiling.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	★	★



Black neoprene with flocked cotton lining.

Sizes: 7/8/9/10.

Cleaning instructions: Washable with soap and water.



- **WATERPROOF**
- **EXCELLENT DEXTERITY AND COMFORT**
- **PROTECTION COVERS WRISTS**
- **HIGH RESISTANCE TO ABRASION**



EN 388



4121

		-	←	→	+
abrasion	0	1	2	3	4
cut	0	1	2	3	4
tear	0	1	2	3	4
perforation	0	1	2	3	4



## CARPRO

Use:  
Glove specially designed for tiling and finishing.

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	★	☆




Polyamide knitted glove with a nitrile coating, resistant to oils and chemical products. Coating continues along the back of the hand for better impermeability. Fastening strip on the wrist. Length 28 cm for wrist protection.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



- **GOOD DEXTERITY**
- **WATERPROOF PALMS**
- **RESISTANCE TO CUTS**
- **RESISTANCE TO ABRASION**



EN 388



4343


		-	←	→	+
abrasion	0	1	2	3	4
cut	0	1	2	3	4
tear	0	1	2	3	4
perforation	0	1	2	3	4



## DYNAPRO

Use:  
All types of abrasive and cutting work in wet and/or oily conditions: Roofing, building work, tiling, handling sharp metals.

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	★	★



Dyneema® - the strongest fibre in the world- knitted glove with nitrile coating. Water, oil and grease repellent.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



- **HIGH RESISTANCE TO CUTS**
- **OPTIMAL MECHANICAL STRENGTH**
- **WEAR INDICATOR FOR OPTIMAL SAFETY**



EN 388



454X

		-	←	→	+
abrasion	0	1	2	3	4
cut	0	1	2	3	4
tear	0	1	2	3	4
perforation	0	1	2	3	4

X: untested

## VISIOPRO

Use:  
All types of cutting work in dry conditions: Glazing, flooring (carpeting etc.), guttering.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	★	★



Knitted glove made with high-tenacity Dyneema®/Stainless Steel fibre. Orange wear indicator on the inside. Reinforcement seam between the thumb and index finger. Length 25 cm.

Sizes: 9/10.

Cleaning instructions: Washable with soap and water.



- EXCELLENT DEXTERITY
- GOOD RESISTANCE TO ABRASION
- BREATHABLE, ANTIPERSPIRANT



EN 388

	-	←	→	+
abrasion	0	1	2	3 4
cut	0	1	2 3 4	5
tear	0	1	2 3 4	
perforation	0	1	2 3 4	

**New**

## AIRPRO

Use:  
All types of work requiring good dexterity:  
Coating, finishing, plumbing, electrics, carpentry  
mechanics, installing suspended ceilings etc.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Polyamide knit with polyurethane coating (breathable material, antiperspirant). Permeable.

Sizes: 7/8/9/10/11.

Cleaning instructions: Washable with soap and water.



- RESISTANCE TO CUTS
- RESISTANCE TO ABRASION
- GOOD GRIP
- BREATHABLE MATERIAL, ANTIPERSPIRANT

WITH Dyneema®

The strongest fiber in the world



EN 388

	-	←	→	+
abrasion	0	1	2 3	4
cut	0	1	2 3 4	5
tear	0	1	2 3	4
perforation	0	1	2 3	4

**New**

## CUTPRO

Use:  
All types of abrasive and cutting work:  
Roofing, tiling, glazing, plumbing, handling sharp  
metals (pattern makers, electricians).

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	★	★



Dyneema® - the strongest fibre in the world- knitted glove with polyurethane coating, antiperspirant. Permeable.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



- EXCELLENT DEXTERITY
- BREATHABLE MATERIAL
- ANTIPERSPIRANT
- HIGH RESISTANCE TO ABRASION



EN 388

	-	←	→	+
abrasion	0	1	2 3 4	
cut	0	1	2 3 4	5
tear	0	1	2 3 4	
perforation	0	1	2 3 4	

**New**

## SKINPRO

Use:  
All types of work requiring good dexterity: coating, finishing, painting, plumbing, electrics, carpentry, mechanics, installing suspended ceilings etc.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Thin polyamide knitted glove with polyurethane coating (breathable material). Permeable.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



Exists in orange ref: AIRPRO



- COMFORTABLE
- SUPPLE
- RESISTANCE TO SPARKS



EN 388

	-	←	→	+
abrasion	0	1	2 3	4
cut	0	1	2 3 4	5
tear	0	1	2 3 4	
perforation	0	1	2 3 4	

**New**

## SOFTPRO

Use:  
Soldering, handling.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Natural full grain leather glove.

Sizes: 8/9/10/11.

Cleaning instructions: None.



# Installing ceiling tiles

- EXCELLENT DEXTERITY
- GOOD RESISTANCE TO ABRASION
- BREATHABLE, ANTIPERSPIRANT



EN 388

abrasion	0	1	2	3	4	
cut	0	1	2	3	4	5
tear	0	1	2	3	4	
perforation	0	1	2	3	4	



## WHITEPRO

Use:  
All types of work requiring good dexterity: coating, finishing, plumbing, electrics, carpentry, installing suspended ceilings etc.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Polyamide knitted glove with a polyurethane coating for better ventilation. Permeable.

Sizes: 7/8/9/10/11.

Cleaning instructions: Washable with soap and water.



- EXCELLENT DEXTERITY
- GOOD RESISTANCE TO ABRASION
- BREATHABLE, ANTIPERSPIRANT



EN 388

abrasion	0	1	2	3	4	
cut	0	1	2	3	4	5
tear	0	1	2	3	4	
perforation	0	1	2	3	4	



## AIRPRO

Use:  
All types of work requiring good dexterity: Coating, finishing, plumbing, electrics, carpentry mechanics, installing suspended ceilings etc.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Polyamide knit with polyurethane coating (breathable material, antiperspirant). Permeable.

Sizes: 7/8/9/10/11.

Cleaning instructions: Washable with soap and water.



# Mechanics

- COMFORTABLE
- RESISTANCE TO OIL AND GREASE
- EXCELLENT GRIP
- HIGH RESISTANCE TO TEARS AND ABRASIONS



EN 388

abrasion	0	1	2	3	4	
cut	0	1	2	3	4	5
tear	0	1	2	3	4	
perforation	0	1	2	3	4	



## MAXIPRO

Use:  
All types of work in abrasive or humid conditions: Roofing, framework, building work, handling, mechanics, carpentry.

COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	★	☆



Fine polyamide knit with nitrile coating, PVC dotted coating on the palms. Waterproof. Oil and grease resistant.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



- COMFORTABLE
- WATERPROOF PALMS
- EXCELLENT GRIP
- EXCELLENT VALUE FOR MONEY



EN 388

abrasion	0	1	2	3	4	
coupure	0	1	2	3	4	5
déchirure	0	1	2	3	4	
perforation	0	1	2	3	4	



## NBRPRO

Use:  
All types of work requiring good dexterity in wet or oily conditions: Coatings, finishing, tiling, painting, using tools with handles, carpentry, plumbing and mechanics.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Polyamide knitted glove with nitrile foam coating (excellent grip) resistant to water oil and grease.

Sizes: 7/8/9/10.

Cleaning instructions: Washable with soap and water.



- COMFORTABLE
- WATERPROOF PALMS
- EXCELLENT GRIP
- HIGH RESISTANCE TO ABRASION




EN 388		-	←	→	+		
4132	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	



## MAXIPRO

Use:  
All types of work in abrasive or humid conditions: Roofing, framework, building work, handling, mechanics, carpentry.


COMFORT	★	★	★	★	☆
DURABILITY	★	★	★	★	☆



Fine polyamide knit with nitrile coating, PVC dotted coating on the palms.  
Waterproof. Oil and grease resistant.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



- HIGH RESISTANCE TO ABRASION




EN 388		-	←	→	+		
3121	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	



## SKINPRO

Use:  
All types of work requiring good dexterity: Studding, installing suspended ceilings, plumbing, electrics, carpentry, mechanics, drilling, facades.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Thin polyamide knitted glove with polyurethane coating (breathable material). Permeable.

Sizes: 8/9/10/11.

Cleaning instructions: Washable with soap and water.



Exists in orange ref: AIRPRO




EN 388		-	←	→	+		
4132	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	



## MANUPRO

Use:  
All types of handling.

COMFORT	★	★	★	☆	☆
DURABILITY	★	★	★	☆	☆



Cowhide glove, orange polyester back, reinforced finger tips, protective wrist cover.

Size: 10.

Cleaning instructions: None.



- COMFORTABLE
- SUPPLE
- RESISTANCE TO SPARKS




EN 388		-	←	→	+		
3122	abrasion	0	1	2	3	4	
	cut	0	1	2	3	4	5
	tear	0	1	2	3	4	
	perforation	0	1	2	3	4	

## SOFTPRO

Use:  
Soldering, handling.

COMFORT	★	★	★	★	★
DURABILITY	★	★	★	☆	☆



Natural full grain leather glove.

Sizes: 8/9/10/11.

Cleaning instructions: None.





Earplugs:

frequency (Hz)	63	125	250	500	1000	2000	4000	8000	H(dB)	31
attenuation (dB)	24	26	28,6	30,8	30,9	34,7	43,2	42,9	M(dB)	26
standard deviation (dB)	9,8	7,9	7,4	5,4	5,8	4,0	4,6	7,4	L(dB)	23
assumed protection	14,2	18,2	21,2	25,3	25,1	30,7	38,6	35,6	SNR(dB)	30



240150

303

CASQUIS

4255

2200

2241

**Noise reducing headset.**

Use: For all work in noisy environments.

Description: Adjustable head-strap. All parts are interchangeable. Standards: EC EN 352.1.

**20 earplugs.**

Use: For all types of work with a noise level exceeding 95 dB.

Description: Box of 20 single use earplugs made from polyurethane foam. Ultra-soft and smooth. Protects from environmental noise and bacteria, mould or fungi. Exclusive "Microban" anti-microbial, agent mixed with the material of the stopper itself. Sound reduction index reference (SNR) = 30 dB. Use between 95 and 115 dB. Standards: NF EN 352.2.

**Netted face protector.**

Use: For all types of trimming and pruning work.

Description: Netted face protector with noise reducing headset. Standards: EN 352-1.

**Disposable gas and dust mask.**

Use: Short use, filtration: gas, vapours, solid and liquid particles.

Description:

- 4000 Gas and Dust Mask
- All-in-one
- Filters integrated into the mask
- Low respiratory resistance (ellipsoid valve)
- Packaged in a sealed, resealable bag
- One size fits all
- Clear field of vision
- Lightweight: 260g on average
- Silicone-free
- (30% lighter than a half-mask Reusable with cartridges)

Standard: CE.

**2 disposable Masks for use when dealing with fine dust and pollution.**

Use: For intensive, long-term work.

Description: Protection against toxic dust (up to 0,2 microns), wood, metal welding, plaster, celluloses, glass fibre, aluminium, zinc fumes. Standard: Classified FFP EC.

**Disposable masks to protect from solvent smells and dust.**

Use: Provides protection against dust, pesticides, fine particles, and fumes... Offers relief from solvent smells.

Description: A filtration medium impregnated with activated carbon provides protection against fine particles, unpleasant odours and organic fumes. Nasal half-seal and exhaling valve. Standard: Classified FFP2 in accordance with EN149.

SNR	H	M	L
23 dB	27 dB	20 dB	14 dB



3360

**Complete forester's helmet.**

Use: For all woodcutting, pruning and cutting work.

Description and standarts:

- Safety helmet with leather lining conforming to standard EN 397.
- Pair of BILSOM 718 anti-noise shells in conformance with standard EN 352-1.
- BILSOM 3810 metal meshed visor conforming to standard EN 1731.





CE

## LUNMASK

### Anti-mist goggles.

**Use:** For all types of DIY and spraying work.

**Description:** Indirect ventilation with adjustable elastic strap. May be worn over normal glasses. Goggles made of clear polycarbonate. **Standard:** EC EN 166.



CE

## SURLUNE

### Coverall goggles for grinding or scrub clearance work.

**Use:** For all types of grinding, clearance or pruning work.

**Description:** HVI polycarbonate glasses with scratch resistant treatment. Direct ventilation on built-in side protection. May be worn over normal glasses. **Standard:** EC EN 166.



CE

## COMBJET

### Disposable overall.

**Use:** Protection against dirt. To be used for in cleaning, repairs, dusting, house moving, gardening, and indoor painting work.

**Description:** 100% polypropylene, with elasticised cuffs and hem. Slide fastener. Elasticised cap. **Upkeep:** Disposable. **Sizes:** M/L/XL/XXL.



Protection level I  
Minors risks

CE

## ZOLATJET/I

**Use:** Small dirty jobs.

**Description:** 20 gloves in very fine latex. **Upkeep:** Disposable gloves. **Size:** M and XL.

